

S
312.09786
H2m
1967

1967

APR 25 1969

STATE DOCUMENTS

MONTANA STATE LIBRARY
930 East Lynxdale Avenue
Helena, Montana 59601

RECEIVED
MONTANA STATE LIBRARY
APR 25 1969

ANNUAL
STATEMENT
SUPERINTENDENT



John S. Anderson, M.D.

Executive Officer and Secretary

John C. Wilson

Public State Registrar

Dept.

MONTANA STATE LIBRARY
930 East Lynxdale Avenue
Helena, Montana 59601

Montana State Library



3 0864 1004 3316 1

C O N T E N T S

	Page
Introduction	1
Limiting Factors Completeness of Registration and Reporting; Delay in Filing; Geographic Allocation; Medical Certification; Age and Race; and Population Estimates	1
<u>TABLES</u>	
Table 1 Deaths, Live Births, Fetal, Infant and Maternal Deaths: Montana, 1910-1967, (Deaths exclusive of fetal deaths. Data for 1910-1945 are by place of occurrence. Data for 1946-1967 are by place of residence)	2
Table 2 Deaths, Live Births, Fetal, Infant and Maternal Deaths: Montana Counties, 1967, (By place of occurrence and by place of residence. Deaths exclusive of fetal deaths) . .	3
Table 3 Deaths, Live Births, and Fetal Deaths by Race: Montana Counties, 1967, (By place of residence)	4
Table 4 Summary of Live Births: Montana, 1966-1967, (By place of residence)	5
Table 5 Number and Percentage Distribution of Live Births by Attendant: Montana Counties, 1967, (By place of occurrence)	6
Table 6 Live Births by Birth Weight Group: Montana Counties, 1967, (Infants born of mothers who were Montana residents and who were delivered in Montana)	7
Table 7 Deaths by Cause, Sex, and Color: Montana, 1967, (By place of residence)	8-17
Table 8 Important Causes of Death by Age Group: Montana, 1967, (By place of residence)	18-20
Table 9 Deaths from Selected Accidents by Age: Montana, 1967, (By place of occurrence)	21
Table 10 List of Maternal Deaths by County of Occurrence, County of Residence, Race, Age, and Cause of Death: Montana, 1962-1967	22
Table 11 Deaths from Selected Causes by County: Montana, 1967, (By place of residence)	23-24
Table 12 Infant Mortality by Race and Age Group and Five-Year Infant Mortality Rates: Montana Counties, 1967, (By place of residence)	25
Table 13 Infant Mortality from Selected Causes by Age Groups: Montana, 1967, (By place of residence)	26
Table 14 Marriages, Divorces and Annulments: Montana Counties, 1967, (By county of occurrence) .	27
Table 15 Marriage and Divorce: Montana, 1944-1967	28
Table 16 Marriages by Month of Occurrence: Montana, 1967	28
Table 17 Marriages by Age and Previous Marital Status of Bride and Groom: Montana, 1967	29
Table 18 First Marriages by Age of Bride by Age of Groom: Montana, 1967	29
Table 19 Divorces and Annulments by Legal Grounds for Decree: Montana, 1967	30
Table 20 Marital Dissolutions by Age of Husband and by Age of Wife: Montana, 1967	30
Table 21 Marital Dissolutions by Number of Children, By Age of Mother: Montana, 1967	31
Table 22 Marriages by Race of Bride and Race of Groom: Montana, 1967	31
Table 23 Communicable Disease Historical Mortality Statistics: Montana 1910-1967	32-33
Table 24 Selected Cause-Specific Death Rates: Montana, 1910-1967	34-35
Table 25 Populations: Montana Counties, 1960 and 1967	36
Table 26 Reported Cases of Reportable Diseases: Montana Counties, 1967, (By place of residence) .	37-38

INTRODUCTION

This annual statistical report is a supplement to the regular biennial report issued by the Montana State Board of Health. Vital statistics data are published on an annual basis so that the information can be made available more quickly than if it were published biennially.

The purpose of this report is to provide a ready reference of some of the most frequently used vital statistics for Montana. Since the report is primarily intended for reference, analysis and interpretation have been kept to a minimum. Where space permits, the 1967 data are accompanied by figures for the previous year or years so that comparisons may be made. The information published here is limited to that felt to be of general interest. In most cases, more detailed information is available upon request.

The sources of data shown in the tabulations of this report are records collected by the Montana Board of Health. These include certificates of birth, death, and fetal death (stillbirth) and records of marriage, divorce, and morbidity.

LIMITATIONS OF THESE DATA

Completeness of Registration and Reporting

Few restrictions need be imposed upon the interpretation of tabulations of birth and death data in this report because of incompleteness. Completeness of birth registration in Montana was tested in 1950 as a part of a nationwide study made by the Bureau of the Census. This showed Montana's registration of births to be 99.57 complete. Registration of deaths is felt to be more complete. A death certificate must be filed in Montana before a permit for burial or removal can be issued.

No measure of the completeness of reporting of fetal deaths (stillbirths) is available. A more important limitation to consider in interpreting data on this subject is: The variation among the several states as to the definition of what constitutes a fetal death.

Original records of marriage and divorce are not filed in this office. It does file original birth and death certificates. Transcripts, containing selected items of information on the original marriage and divorce records, are made by local Clerks of Court to be filed in this office. No formal tests of completeness have been made on this reporting. Experience suggests that marriages and divorces are reported as completely as births and deaths.

Delay in Filing

Very few records are filed for events that occurred in the year covered by this report that are not included in these tabulations. All records for 1967 which were received during that year or by April 10, 1968, are included in this report. Records received after this deadline are not included in these tabulations. Such records constitute a small fraction of one percent of all types of records.

Geographic Allocation

Births and deaths may be tabulated by place of occurrence or by place of residence of the person involved. For deaths, the place of residence is the usual residence of the decedent. For births, the usual residence of the child is the same as that of the mother.

Interstate exchange of transcripts of certificates for persons whose residence was in a state other than the one in which the event occurred permits tabulation by place of residence. Titles of tables in this report indicate whether the data are by residence or occurrence.

Deaths in hospitals, sanatoria, and other institutions are allocated to the place of previous residence, regardless of the length of stay in the institution.

Medical Certification

Causes of death reported on death certificates are classified according to the Seventh Revision of the International Statistical Classification of Diseases, Injuries, and Causes of Death. This system, established by international agreement, attempts to allocate death to what the attending physician considers to be the underlying cause. It also serves to obtain information on the causal and chronological sequence of events leading to death. It consists of two parts with space for indicating the interval between onset and death for each condition. Part I is used for reporting the causes leading directly to death. Part II is used for reporting any other important diseases or conditions that influenced the course of the illness unfavorably, thus contributing to the fatal outcome, but which were not related to the disease or condition reported on line (a) as the immediate cause of death. To illustrate, a medical certification might read as follows:

Part I. Death was caused by:

Immediate cause (a) postoperative bronchial pneumonia
Due to (b) lobectomy
Due to (c) primary cancer of lung

Part II.

Hypertensive cardiovascular disease

This death would be assigned to International List rubric 162.1 (Malignant neoplasm of bronchus and lung).

Deaths are classified under this philosophy whenever possible.

Exceptions must be made when the underlying cause is not apparent from the certification and when clarifications cannot be secured. In these instances, a system of rules is applied to select the probable underlying cause.

Age and Race

Classification of vital events by age and race introduces difficulties because of incorrect entries.

A common error in the reporting of age is evident in the frequent reporting of ages ending in 0 and 5. Theory suggests this to be due to a tendency for persons to round their ages. In addition, it is felt that persons under 21 and those in the older age groups have a tendency to over state their age. An attempt has been made in this report to offset some of these difficulties by grouping ages. In this way, the overstatement of ages ending in 0 and 5 is grouped in with the understatement of ages ending in other digits.

The tabulation of vital events by race has limitations where persons of mixed blood are involved. In general, the statement of race on the certificate reflects the opinion of the informant. It does not necessarily follow any prescribed rules for the reporting of race. Information on race presented in this report is shown simply as "white" and "other". This makes it possible to classify all but a few deaths, and there is little confusion with concepts of nationality, country of origin of parents, or other characteristics. In the racial classification used in this report, white includes "Mexican".

Population Estimates

The population estimates shown in Table 25 have as their base the Federal Census taken as of April 1, 1960.

The United States Bureau of the Census has estimated the total population of Montana as 701,000 as of July 1, 1967. The 1967 population estimates for Montana Counties were prepared by allocating this state total to the 56 counties. A composite method of population estimation was used utilizing births, deaths, and school census data as population indicators.

Table 1

DEATHS, LIVE BIRTHS, FETAL, INFANT, AND MATERNAL DEATHS
 Montana, 1910-1967
 (Deaths exclusive of fetal deaths. Data for 1910-1949 are by place of occurrence.
 Data for 1950-1967 are by place of residence.)

Year	Estimated Midyear Population	DEATHS		LIVE BIRTHS		FETAL DEATHS		INFANT DEATHS		MATERNAL DEATHS	
		Number	Rate ¹	Number	Rate ¹	Number	Ratio ²	Number	Rate ²	Number	Rate ²
1910	370,053	3,924	10.6	6,124	16.3			714	11.6	62	10.1
1911	390,223	4,009	10.1	7,542	19.0			717	95.1	75	10.3
1912	414,184	4,033	9.9	8,133	19.6			660	81.1	75	9.2
1913	422,145	4,033	11.6	8,282	20.1			812	93.5	80	9.2
1914	450,104	4,646	10.8	9,949	22.1			834	63.7	100	10.0
1915	443,067	5,074	10.8	11,132	23.6			816	73.3	91	8.2
1916	484,028	5,791	11.9	11,300	23.2			970	65.6	105	9.6
1917	503,989	6,589	13.1	11,600	23.0			1,090	94.0	143	12.3
1918	521,350	6,985	17.2	11,800	22.6			1,027	57.0	185	15.6
1919	539,911	5,786	10.7	12,017	22.3			902	80.1	141	11.7
1920	543,359	5,289	9.6	11,842	21.6			862	72.7	104	8.8
1921	547,238	4,693	8.6	12,177	22.2			805	60.4	39	7.3
1922	546,137	5,083	9.3	11,000	20.3	328	29.7	763	69.0	86	7.8
1923	545,036	4,693	9.0	10,524	19.3	307	29.2	746	71.1	79	7.5
1924	543,935	4,970	9.1	10,283	18.9	314	30.5	683	66.4	67	6.5
1925	542,834	5,188	9.6	10,302	19.0	343	33.3	726	70.5	83	8.1
1926	541,733	5,395	10.0	10,004	18.5	313	31.3	757	75.6	79	7.9
1927	540,632	5,342	9.9	9,875	18.3	314	31.6	651	65.9	65	6.6
1928	539,531	5,780	10.7	10,072	18.7	341	33.9	612	60.8	75	7.4
1929	538,430	5,748	10.7	10,080	18.7	290	28.8	640	62.5	84	8.3
1930	537,606	5,435	10.1	10,004	18.6	286	28.6	566	56.9	67	6.7
1931	540,337	5,280	9.8	9,638	17.8	309	32.1	583	60.5	70	7.3
1932	542,522	5,294	9.8	9,091	16.8	254	27.9	467	51.4	60	5.6
1933	544,707	5,212	9.6	8,953	16.4	235	26.2	461	51.5	51	5.7
1934	546,892	5,617	10.3	9,944	18.2	244	24.5	532	53.5	57	5.7
1935	549,077	6,291	11.5	10,029	18.3	232	23.1	602	60.0	52	5.2
1936	551,262	6,255	11.3	10,400	18.9	227	21.8	593	57.0	57	5.5
1937	553,447	6,128	11.1	10,248	18.5	232	22.6	516	50.5	38	3.7
1938	555,632	5,684	10.2	10,673	19.2	250	23.4	486	45.5	35	3.3
1939	557,817	5,901	10.6	10,897	19.5	212	19.5	534	49.0	35	3.2
1940	559,456	5,722	10.2	11,408	20.5	216	18.8	527	46.0	39	3.4
1941	530,000	5,673	10.7	11,545	21.8	227	19.7	438	37.9	21	1.8
1942	500,000	5,516	11.0	11,735	23.5	207	17.6	395	33.7	26	2.2
1943	470,033	5,601	11.9	11,407	24.3	212	18.6	442	39.7	20	1.6
1944	467,300	5,662	11.6	10,943	22.5	184	16.8	395	36.1	16	1.5
1945	504,600	5,414	10.7	10,601	21.0	164	17.4	363	34.2	17	1.6
1946	521,900	5,595	10.7	12,858	24.6	224	17.4	443	34.6	18	1.4
1947	539,200	5,760	10.7	15,036	28.0	238	15.8	484	31.1	16	1.1
1948	556,500	5,884	10.6	15,035	27.0	236	15.7	461	30.7	14	0.9
1949	573,800	5,878	10.2	15,366	26.8	231	15.0	457	29.7	14	0.9
1950	591,024	5,817	9.8	15,592	26.4	233	14.9	441	28.3	20	1.3
1951	596,000	5,964	10.0	15,929	26.7	248	15.6	425	26.7	10	0.6
1952	602,000	5,974	9.9	16,479	27.4	253	15.4	448	27.2	8	0.5
1953	611,000	6,125	9.9	16,596	26.9	232	14.0	450	28.9	3	0.2
1954	624,000	6,030	9.7	17,276	27.7	247	14.3	398	23.0	5	0.3
1955	636,000	6,115	9.6	17,454	27.4	221	12.7	433	24.8	5	0.3
1956	656,000	6,450	9.8	17,703	27.0	239	13.5	495	28.0	2	0.1
1957	667,000	6,486	9.7	18,219	27.3	224	12.3	442	25.4	5	0.3
1958	666,000	6,265	9.4	17,275	25.9	233	13.5	444	24.7	3	0.2
1959	669,000	6,570	9.8	17,646	26.4	223	12.6	431	24.4	3	0.2
1960	674,767	6,525	9.7	17,448	25.9	190	10.9	435	24.9	5	0.3
1961	682,000	6,338	9.3	17,340	25.5	194	11.2	441	24.4	2	0.1
1962	709,000	6,418	9.1	16,818	24.7	210	12.5	436	25.4	7	0.4
1963	707,000	6,609	9.3	15,934	22.5	194	12.2	353	24.0	2	0.1
1964	709,000	6,851	9.7	15,094	21.4	200	13.3	403	25.7	7	0.5
1965	706,000	6,570	9.3	13,641	19.3	177	13.0	338	24.8	2	0.1
1966	702,000	6,844	9.8	12,623	18.0	140	11.1	284	22.7	3	0.2
1967	701,000	6,542	9.3	12,087	17.2	141	11.7	220	24.3	3	0.2

(1) Per 1,000 estimated population.

(2) Per 1,000 live births.

Note: The estimated populations and many of the birth and death rates for 1951-59 are different from those published in previous years. The estimated midyear population estimates have been revised to conform with those published by the U. S. Bureau of the Census REVISED ESTIMATES OF THE POPULATION OF STATES AND COMPONENTS OF POPULATION CHANGE 1950-1960 (Series P-25, No. 304). These revised population estimates have been used to recalculate the birth and death rates for 1951-59.

The 1940, 1950, and 1960 populations are those enumerated as of April 1.

Information on fetal death is not available prior to 1922.

Table 2

DEATHS, LIVE BIRTHS, FETAL, INFANT AND MATERNAL DEATHS

Montana Counties, 1967

(By place of occurrence and by place of residence. Deaths exclusive of fetal deaths)

County	DEATHS		LIVE BIRTHS		FETAL DEATHS		INFANT DEATHS		MATERNAL DEATHS	
	Occurrence	Residence	Occurrence	Residence	Occurrence	Residence	Occurrence	Residence	Occurrence	Residence
MONTANA, total	6,505	6,549	11,974	12,087	146	141	288	290	3	3
Beaverhead	78	98	88	108	3	3	1	3	-	-
Big Horn	88	97	244	239	4	2	6	8	-	-
Blaine	36	80	58	121	1	1	-	-	-	-
Broadwater	23	30	27	27	1	1	1	1	-	-
Carbon	77	115	53	80	1	1	-	2	-	-
Carter	25	21	18	27	-	-	-	1	-	-
Cascade	706	658	1,765	1,705	29	25	35	30	1	1
Chouteau	41	66	46	92	-	1	1	3	-	-
Custer	189	133	265	186	3	3	1	-	-	-
Daniels	36	40	38	39	-	-	2	3	-	-
Dawson	89	92	203	185	3	2	3	3	-	-
Deer Lodge	339	170	135	252	-	2	11	7	-	1
Fallon	26	35	57	73	-	-	1	2	-	-
Fergus	144	144	220	207	1	1	7	8	-	-
Flathead	329	340	657	595	4	2	18	18	-	-
Gallatin	214	210	466	465	5	6	9	10	-	-
Garfield	15	14	26	33	-	-	-	-	-	-
Glacier	98	100	282	264	3	4	6	6	-	-
Golden Valley	4	12	-	9	-	-	-	-	-	-
Granite	18	39	12	50	-	-	2	3	-	-
Hill	200	166	415	306	3	2	6	7	-	-
Jefferson	38	42	-	62	-	2	1	3	-	-
Judith Basin	15	24	-	36	-	-	-	-	-	-
Lake	163	180	257	252	2	2	14	14	-	1
Lewis & Clark	384	306	704	604	10	7	15	14	-	-
Liberty	21	17	52	43	1	1	1	1	-	-
Lincoln	72	108	230	319	4	4	5	9	-	-
McCone	21	27	19	46	-	-	3	5	-	-
Madison	58	65	47	53	-	1	2	1	-	-
Meagher	22	32	34	38	-	1	-	-	-	-
Mineral	24	29	20	47	2	2	-	1	-	-
Missoula	489	422	1,132	1,028	9	9	26	22	1	-
Musselshell	40	53	34	58	-	-	-	1	-	-
Park	122	130	167	158	-	-	2	2	-	-
Petroleum	1	8	-	6	-	-	-	-	-	-
Phillips	31	58	53	90	1	1	1	2	-	-
Pondera	56	54	130	111	5	2	5	4	-	-
Powder River	4	18	-	23	-	-	-	-	-	-
Powell	70	79	100	117	2	3	2	2	-	-
Prairie	17	32	11	26	-	-	-	-	-	-
Ravalli	148	173	163	191	4	2	3	2	-	-
Richland	89	86	218	198	1	1	5	5	-	-
Roosevelt	104	111	244	224	4	4	11	11	-	-
Rosebud	52	78	33	101	-	2	2	2	-	-
Sanders	65	92	23	100	-	-	1	2	-	-
Sheridan	65	73	85	91	-	-	2	4	-	-
Silver Bow	531	597	1,028	859	22	17	28	24	1	-
Stillwater	62	64	60	65	-	-	-	-	-	-
Sweet Grass	35	32	36	44	-	-	-	-	-	-
Teton	34	48	67	90	-	1	1	2	-	-
Toole	44	60	63	100	1	4	2	3	-	-
Treasure	2	6	-	16	-	-	-	-	-	-
Valley	98	103	379	395	3	3	10	10	-	-
Wheatland	40	44	39	41	-	-	1	1	-	-
Wibaux	6	16	-	27	-	1	-	-	-	-
Yellowstone	707	622	1,471	1,365	14	15	33	28	-	-

Table 3

DEATHS, LIVE BIRTHS, AND FETAL DEATHS BY RACE
Montana Counties, 1967
(By place of residence)

County	DEATHS				LIVE BIRTHS				FETAL DEATHS			
	Total	White ¹	Indian	Other	Total	White ¹	Indian	Other	Total	White ¹	Indian	Other
Montana, Total	6,549	6,267	254	28	12,087	11,014	962	111	141	125	15	1
Beaverhead	98	98	-	-	108	108	-	-	3	3	-	-
Big Horn	97	52	45	-	239	90	149	-	2	1	-	1
Blaine	80	65	15	-	121	70	51	-	1	1	-	-
Broadwater	30	30	-	-	27	24	2	1	1	1	-	-
Carbon	115	115	-	-	80	80	-	-	1	1	-	-
Carter	21	21	-	-	27	27	-	-	-	-	-	-
Cascade	658	640	10	8	1,705	1,568	89	48	25	24	1	-
Chouteau	66	66	-	-	92	92	-	-	1	1	-	-
Custer	133	133	-	-	186	184	-	2	3	3	-	-
Daniels	40	40	-	-	39	39	-	-	-	-	-	-
Dawson	92	92	-	-	185	184	1	-	2	2	-	-
Deer Lodge	170	168	-	2	252	244	6	2	2	2	-	-
Fallon	35	35	-	-	73	72	-	1	-	-	-	-
Fergus	144	144	-	-	207	205	2	-	1	1	-	-
Flathead	340	338	-	2	595	588	7	-	2	2	-	-
Gallatin	210	209	-	1	465	462	1	2	5	6	-	-
Garfield	14	14	-	-	33	33	-	-	-	-	-	-
Glacier	100	57	43	-	264	89	175	-	4	-	4	-
Golden Valley	12	12	-	-	9	9	-	-	-	-	-	-
Granite	39	39	-	-	50	49	1	-	-	-	-	-
Hill	166	149	15	2	306	245	58	3	2	2	-	-
Jefferson	42	41	1	-	62	61	1	-	2	2	-	-
Judith Basin	24	24	-	-	36	35	-	1	-	-	-	-
Lake	180	147	33	-	252	152	100	-	2	-	2	-
Lewis & Clark	306	297	7	2	604	577	24	3	7	7	-	-
Liberty	17	17	-	-	43	41	-	2	1	1	-	-
Lincoln	108	108	-	-	319	315	3	1	4	4	-	-
McCone	27	27	-	-	46	46	-	-	-	-	-	-
Madison	65	65	-	-	53	53	-	-	1	1	-	-
Meagher	32	32	-	-	38	38	-	-	1	1	-	-
Mineral	29	29	-	-	47	47	-	-	2	2	-	-
Missoula	422	420	1	1	1,028	1,002	22	4	9	8	1	-
Musselshell	53	53	-	-	58	58	-	-	-	-	-	-
Park	130	129	-	1	158	157	-	1	-	-	-	-
Petroleum	8	8	-	-	6	6	-	-	-	-	-	-
Phillips	58	55	3	-	90	80	10	-	1	1	-	-
Pondera	54	51	3	-	111	101	10	-	2	2	-	-
Powder River	18	18	-	-	23	23	-	-	-	-	-	-
Powell	79	79	-	-	117	111	6	-	3	2	1	-
Prairie	32	32	-	-	26	26	-	-	-	-	-	-
Ravalli	173	173	-	-	191	188	3	-	2	2	-	-
Richland	86	86	-	-	198	198	-	-	1	1	-	-
Roosevelt	111	79	32	-	224	119	105	-	4	2	2	-
Rosebud	78	60	17	1	101	46	55	-	2	-	2	-
Sanders	92	82	10	-	100	92	8	-	-	-	-	-
Sheridan	73	73	-	-	91	89	1	1	-	-	-	-
Silver Bow	597	594	3	-	859	846	9	4	17	15	2	-
Stillwater	64	64	-	-	65	65	-	-	-	-	-	-
Sweet Grass	32	32	-	-	44	43	1	-	-	-	-	-
Teton	48	48	-	-	90	86	2	-	1	1	-	-
Toole	60	60	-	-	100	97	3	-	4	4	-	-
Treasure	6	6	-	-	16	16	-	-	-	-	-	-
Valley	103	93	7	3	395	347	28	20	3	3	-	-
Wheatland	44	44	-	-	41	41	-	-	-	-	-	-
Yellowstone	16	16	-	-	27	27	-	-	1	1	-	-
Yellowstone	622	608	9	5	1,365	1,321	29	15	15	15	-	-

¹White includes Mexican.

Table 4

SUMMARY OF LIVE BIRTHS
Montana, 1966-67

(By place or residence. Each percent has been independently rounded to the nearest one-tenth of one percent; hence, the sums of parts may differ slightly from the totals shown.)

Item	1967		1966	
	Number	Percent	Number	Percent
Total	12,087	100.0	12,623	100.0
Sex:				
Male	6,201	51.3	6,358	50.4
Female	5,886	48.7	6,265	49.6
Legitimacy:				
In wedlock	11,148	92.2	11,779	93.3
Out of wedlock	939	7.8	844	6.7
Multiple births:				
Single	11,872	98.2	12,377	98.1
Twins	212	1.8	243	1.9
Triplets	3	0.0	3	0.0
Living Children:				
First child	4,158	34.4	3,998	31.7
Second child	2,912	24.1	3,101	24.6
Third child	1,936	16.0	2,035	16.1
Fourth child	1,225	10.1	1,327	10.5
Fifth child	737	6.1	881	7.0
Sixth child	467	3.9	531	4.2
Seventh child	257	2.1	303	2.4
Eighth child	149	1.2	181	1.4
Nine or more	242	2.0	260	2.1
Not stated	4	0.0	6	0.0

Table 5

NUMBER AND PERCENTAGE DISTRIBUTION ON LIVE BIRTHS BY ATTENDANT:
 Montana Counties, 1967
 (By place of occurrence)

County	NUMBER ATTENDED BY-				PERCENTAGE ATTENDED BY-		
	Total	Physician in Hospital	Physician not in Hospital	Other & Midwife	Physician in Hospital	Physician not in Hospital	Other & Midwife
Montana, Total	11,974	11,888	31	55	99.3	0.3	0.5
Beaverhead	88	88	-	-	100.0	-	-
Big Horn	244	242	1	1	99.2	0.4	0.4
Blaine	58	57	1	-	98.3	1.7	-
Broadwater	27	26	1	-	96.3	3.7	-
Carbon	53	52	1	-	98.1	1.9	-
Carter	18	18	-	-	100.0	-	-
Cascade	1,765	1,763	2	-	99.9	0.1	-
Chouteau	46	46	-	-	100.0	-	-
Custer	265	265	-	-	100.0	-	-
Daniels	38	38	-	-	100.0	-	-
Dawson	203	202	1	-	99.5	0.5	-
Deer Lodge	135	135	-	-	100.0	-	-
Fallon	57	56	-	1	98.2	-	1.8
Fergus	220	219	-	1	99.5	-	0.5
Flathead	657	654	2	1	99.5	0.3	0.2
Gallatin	466	465	1	-	99.8	0.2	-
Garfield	26	26	-	-	100.0	-	-
Glacier	282	278	-	4	98.6	-	1.4
Golden Valley	-	-	-	-	-	-	-
Granite	12	12	-	-	100.0	-	-
Hill	415	410	1	4	98.8	0.2	1.0
Jefferson	-	-	-	-	-	-	-
Judith Basin	-	-	-	-	-	-	-
Lake	257	256	-	1	99.6	-	0.4
Lewis & Clark	704	700	1	3	99.4	0.1	0.4
Liberty	52	44	-	8	84.6	-	15.4
Lincoln	230	230	-	-	100.0	-	-
McCone	19	19	-	-	100.0	-	-
Madison	47	46	1	-	97.9	2.1	-
Meagher	34	29	-	5	85.3	-	14.7
Mineral	20	20	-	-	100.0	-	-
Missoula	1,132	1,131	-	1	99.9	-	0.1
Musselshell	34	34	-	-	100.0	-	-
Park	167	166	1	-	99.4	0.6	-
Petroleum	-	-	-	-	-	-	-
Phillips	53	53	-	-	100.0	-	-
Pondera	130	130	-	-	100.0	-	-
Powder River	-	-	-	-	-	-	-
Powell	100	99	1	-	99.0	1.0	-
Prairie	11	11	-	-	100.0	-	-
Ravalli	163	162	1	-	99.4	0.6	-
Richland	218	218	-	-	100.0	-	-
Roosevelt	244	243	1	-	99.6	0.4	-
Rosebud	33	29	4	-	87.9	12.1	-
Sanders	23	21	1	1	91.3	4.3	4.3
Sheridan	85	85	-	-	100.0	-	-
Silver Bow	1,028	1,024	4	-	99.6	0.4	-
Stillwater	60	59	1	-	98.3	1.7	-
Sweet Grass	36	35	1	-	97.2	2.8	-
Teton	67	52	1	14	77.6	1.5	20.9
Toole	63	58	-	5	92.1	-	7.9
Treasure	-	-	-	-	-	-	-
Valley	379	378	1	-	99.7	0.3	-
Wheatland	39	35	-	4	89.7	-	10.3
Wibaux	-	-	-	-	-	-	-
Yellowstone	1,471	1,469	1	1	99.9	0.1	0.1

Table 6

LIVE BIRTHS BY BIRTH WEIGHT GROUP

Montana Counties, 1967

(Infants born of mothers who were residents of Montana and who were delivered in Montana. Each percentage has been independently rounded to the nearest one-tenth of one percent; hence, the sums of parts may not add to exactly one hundred percent.)

County	Premature 5 lbs. 8 oz. and under		Mature Over 5 lbs. 8 oz.		Weight not given	
	Number	Percent	Number	Percent	Number	Percent
MONTANA, total	868	7.3	10,932	92.5	24	0.2
Beaverhead	6	5.6	101	93.5	1	0.9
Big Horn	19	8.6	203	91.4	-	0.0
Blaine	4	3.3	117	96.7	-	0.0
Broadwater	4	14.8	23	85.2	-	0.0
Carbon	7	9.1	70	90.9	-	0.0
Carter	-	0.0	19	100.0	-	0.0
Cascade	138	8.2	1,549	91.8	-	0.0
Chouteau	8	8.8	83	91.2	-	0.0
Custer	14	7.6	170	92.4	-	0.0
Daniels	5	13.2	33	86.8	-	0.0
Dawson	5	2.8	174	97.2	-	0.0
Deer Lodge	24	9.6	225	90.4	-	0.0
Fallon	2	2.9	67	97.1	-	0.0
Fergus	15	7.2	192	92.8	-	0.0
Flathead	34	5.8	553	94.2	-	0.0
Gallatin	23	5.1	426	94.9	-	0.0
Garfield	1	3.0	32	97.0	-	0.0
Glacier	24	9.2	237	90.8	-	0.0
Golden Valley	-	0.0	9	100.0	-	0.0
Granite	2	4.1	47	95.9	-	0.0
Hill	16	5.2	289	94.8	-	0.0
Jefferson	6	9.8	55	90.2	-	0.0
Judith Basin	-	0.0	36	100.0	-	0.0
Lake	18	7.2	230	92.4	1	0.4
Lewis & Clark	43	7.2	552	92.6	1	0.2
Liberty	2	4.8	40	95.2	-	0.0
Lincoln	20	6.8	273	92.9	1	0.3
McCone	4	8.7	42	91.3	-	0.0
Madison	6	11.3	47	88.7	-	0.0
Meagher	1	2.6	32	84.2	5	13.2
Mineral	7	15.6	38	84.4	-	0.0
Missoula	84	8.3	926	91.7	-	0.0
Musselshell	2	3.4	56	96.6	-	0.0
Park	8	5.2	147	94.8	-	0.0
Petroleum	1	16.7	5	83.3	-	0.0
Phillips	2	2.2	87	97.8	-	0.0
Pondera	10	9.0	100	90.1	1	0.9
Powder River	1	6.2	15	93.8	-	0.0
Powell	8	6.8	109	93.2	-	0.0
Prairie	1	4.2	23	95.8	-	0.0
Ravalli	14	7.5	173	92.5	-	0.0
Richland	12	6.2	181	93.8	-	0.0
Roosevelt	14	6.8	192	93.2	-	0.0
Rosebud	6	6.2	90	93.8	-	0.0
Sanders	8	10.3	69	88.5	1	1.3
Sheridan	6	7.4	75	92.6	-	0.0
Silver Bow	93	10.9	761	89.1	-	0.0
Stillwater	7	10.9	57	89.1	-	0.0
Sweet Grass	3	6.8	41	93.2	-	0.0
Tetnn	7	7.8	71	78.9	12	13.3
Toole	6	6.1	92	93.8	-	0.0
Treasure	-	0.0	16	100.0	-	0.0
Valley	32	8.1	361	91.9	-	0.0
Wheatland	1	2.4	40	97.6	-	0.0
Wibaux	-	0.0	20	100.0	-	0.0
Yellowstone	84	6.2	1,261	93.7	1	0.1

TABLE 7
DEATHS BY CAUSE, SEX, AND COLOR
MONTANA, 1967
BY PLACE OF RESIDENCE

INTL. LIST NUMBER	CAUSE OF DEATH	TOTAL	MALE		FEMALE	
			WHITE	OTHER	WHITE	OTHER
	ALL CAUSES	6,549	3,879	154	2,388	128
001-138	TOTAL - INFECTIVE AND PARASITIC DISEASES	92	33	4	11	4
001-008	TUBERCULOSIS OF RESPIRATORY SYSTEM	13	7	1	2	3
001	RESPIRATORY WITH MENTION OF OCCUPATIONAL DISEASE OF LUNG	1	1	-	-	-
002	PULMONARY	11	5	1	2	3
003	PLEURAL	1	1	-	-	-
010-019	TUBERCULOSIS, OTHER FORMS	4	3	-	1	-
010	MENINGES AND CENTRAL NERVOUS SYSTEM	2	1	-	1	-
019	DISSEMINATED	2	2	-	-	-
020-029	SYPHILLIS AND ITS SEQUELA	13	10	-	3	-
022	ANEURYSM OF AORTA	12	10	-	2	-
023	OTHER CARDIOVASCULAR	1	-	-	1	-
050-064	OTHER BACTERIAL DISEASES	13	6	2	4	1
053	SEPTICEMIA AND PYEMIA	11	5	1	4	1
057	MENINGOCOCCAL INFECTIONS	2	1	1	-	-
080-096	DISEASES ATTRIBUTABLE TO VIRUSES	7	5	1	1	-
082	ACUTE INFECTIOUS ENCEPHALITIS	4	2	1	1	-
087	CHICKENPOX	1	1	-	-	-
092	INFECTIOUS HEPATITIS	1	1	-	-	-
096	OTHER DISEASES ATTRIBUTABLE TO VIRUSES	1	1	-	-	-
120-138	OTHER INFECTIVE AND PARASITIC DISEASES	2	2	-	-	-
133	COCCIDIOIDOMYCOSIS	1	1	-	-	-
138	OTHER INFECTIVE AND PARASITIC DISEASES	1	1	-	-	-
140-239	TOTAL - NEOPLASMS	1,019	543	15	449	12
140-148	MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX	18	13	-	5	-
140	LIP	1	1	-	-	-
141	TONGUE	4	3	-	1	-
142	SALIVARY GLAND	2	1	-	1	-
143	FLOOR OF MOUTH	1	1	-	-	-
144	OTHER PARTS OF MOUTH, AND OF MOUTH UNSPECIFIED	1	-	-	1	-
145	ORAL MESOPHARYNX	2	2	-	-	-
147	MALIGNANT NEOPLASM OF HYPOPHARYNX	1	1	-	-	-
148	PHARYNX, UNSPECIFIED	6	4	-	2	-
150-159	MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM	323	184	4	133	2
150	ESOPHAGUS	16	13	1	2	-
151	STOMACH	59	30	-	29	-
152	SMALL INTESTINE, INCLUDING DUODENUM	2	2	-	-	-
153	LARGE INTESTINE, EXCEPT RECTUM	102	55	1	46	-
154	RECTUM	43	25	-	18	-
155	BILIARY PASSAGES AND OF LIVER - STATED TO BE PRIMARY SITE	21	8	-	11	2
156	LIVER - SECONDARY AND UNSPECIFIED	17	10	2	5	-
157	PANCREAS	57	39	-	18	-
158	PERITONEUM	4	1	-	3	-
159	DIGESTIVE ORGANS, UNSPECIFIED	2	1	-	1	-
160-165	MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM	172	132	5	31	4
160	NOSE, NASAL CAVITIES, MIDDLE EAR AND ACCESSORY SINUSES	4	3	-	1	-
161	LARYNX	8	5	-	3	-
162	BRONCHUS AND TRACHEA, AND OF LUNG SPECIFIED AS PRIMARY	52	43	2	5	2

TABLE 7
DEATHS BY CAUSE, SEX, AND COLOR
MONTANA, 1967
BY PLACE OF RESIDENCE

INTL. LIST NUMBER	CAUSE OF DEATH	TOTAL	MALE		FEMALE	
			WHITE	OTHER	WHITE	OTHER
163	LUNG, UNSPECIFIED AS TO WHETHER PRIMARY OR SECONDARY	97	76	2	17	2
164	MEDIASTINUM	1	1	-	-	-
165	THORACIC ORGANS - SECONDARY	10	4	1	5	-
170-181	MALIGNANT NEOPLASM OF BREAST AND GENITO- URINARY ORGANS	314	115	1	192	6
170	BREAST	98	-	-	97	1
171	CERVIX UTERI	28	-	-	26	2
172	CORPUS UTERI	4	-	-	4	-
174	UTERUS, UNSPECIFIED	15	-	-	15	-
175	OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT	37	-	-	35	2
176	OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS	2	-	-	2	-
177	PROSTATE	66	66	-	-	-
178	TESTIS	4	4	-	-	-
180	KIDNEY	28	20	-	7	1
181	BLADDER AND OTHER URINARY ORGANS	32	25	1	6	-
190-199	MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES	94	45	4	45	-
190	MELANOMA OF SKIN	9	5	-	4	-
191	OTHER NEOPLASM OF SKIN	3	1	-	2	-
192	EYE	2	1	-	1	-
193	BRAIN AND OTHER PARTS OF NERVOUS SYSTEM	16	11	1	4	-
194	THYROID GLAND	1	-	-	1	-
195	OTHER ENDOCRINE GLANDS	3	1	-	2	-
196	BONE - INCLUDING JAW BONE	10	5	1	4	-
197	CONNECTIVE TISSUE	5	2	-	3	-
199	OTHER AND UNSPECIFIED SITES	45	19	2	24	-
200-205	NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES	83	48	1	34	-
200	LYMPHOSARCOMA AND RETICULOSARCOMA	21	11	-	10	-
201	HODGKINS DISEASE	11	6	1	4	-
202	OTHER FORMS OF LYMPHOMA - RETICULOSIS	5	2	-	3	-
203	MULTIPLE MYELOMA - PLASMACYTOMA	7	4	-	3	-
204	LEUKEMIA AND ALLUCHEMIA	39	25	-	14	-
210-229	BENIGN NEOPLASM	6	3	-	3	-
211	OTHER PARTS OF DIGESTIVE SYSTEM	1	1	-	-	-
212	RESPIRATORY SYSTEM	1	-	-	1	-
223	BRAIN AND OTHER PARTS OF NERVOUS SYSTEM	2	1	-	1	-
227	OTHER BENIGN NEOPLASM OF MUSCULAR & CONNECTIVE TISSUE	1	1	-	-	-
228	HEMANGIOMA AND LYMPHANGIOMA	1	-	-	1	-
230-239	NEOPLASM OF UNSPECIFIED NATURE	9	3	-	6	-
230	DIGESTIVE ORGANS	1	-	-	1	-
231	RESPIRATORY ORGANS	2	1	-	1	-
236	OTHER GENITO-URINARY ORGANS	2	1	-	1	-
237	BRAIN AND OTHER PARTS OF NERVOUS SYSTEM	4	1	-	3	-
240-289	TOTAL - ALLERGIC, ENDOCRINE SYSTEM, METABOLIC AND NUTRITIONAL DISEASES	185	86	3	89	8
240-245	ALLERGIC DISORDERS	19	10	-	8	1
241	ASTHMA	18	10	-	8	-
245	OTHER ALLERGIC DISORDERS	1	-	-	-	1
250-254	DISEASES OF THYROID GLAND	4	-	-	3	1
250	SIMPLE GOITER	1	-	-	1	-
252	THYROTOXICOSIS WITH OR WITHOUT GOITER	2	-	-	2	-
254	OTHER DISEASES OF THYROID GLAND	1	-	-	-	1
260-260	DIABETES MELLITUS	143	69	3	67	4

TABLE 7
MORTALITY BY CAUSE, SEX, AND COLOR
MONTANA, 1967
BY PLACE OF RESIDENCE

INTL. LIST NUMBER	CAUSE OF DEATH	TOTAL	MALE		FEMALE	
			WHITE	OTHER	WHITE	OTHER
260	DIABETES MELLITUS	143	69	3	67	4
270-277	DISEASES OF OTHER ENDOCRINE GLANDS	5	3	-	2	-
272	PITUITARY GLAND	2	1	-	1	-
274	DISEASES OF ADRENAL GLANDS	3	2	-	1	-
280-289	AVITAMINOSES AND OTHER METABOLIC DISEASES	14	4	-	8	2
286	OTHER AVITAMINOSES AND NUTRITIONAL DEFICIENCY STATES	4	2	-	2	-
287	OBESITY, NOT SPECIFIED AS OF ENDOCRINE ORIGIN	8	1	-	5	2
289	OTHER METABOLIC DISEASE	2	1	-	1	-
290-299	TOTAL - DISEASES OF BLOOD AND BLOOD-FORMING ORGANS	20	7	-	13	-
290-299	DISEASES OF BLOOD AND BLOOD-FORMING ORGANS	20	7	-	13	-
290	PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS	1	-	-	1	-
291	IRON DEFICIENCY ANEMIAS	1	-	-	1	-
292	OTHER ANEMIAS OF SPECIFIED TYPE	5	2	-	3	-
293	ANEMIA OF UNSPECIFIED TYPE	5	3	-	2	-
296	PURPURA AND OTHER HEMORRHAGIC CONDITIONS	5	2	-	3	-
297	AGRANULOCYTOSIS	1	-	-	1	-
299	OTHER DISEASES OF BLOOD AND BLOOD - FORMING ORGANS	2	-	-	2	-
300-326	TOTAL - MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS	22	15	2	3	2
300-309	PSYCHOSES	9	6	-	3	-
304	SENILE PSYCHOSIS	2	-	-	2	-
307	ALCOHOLIC PSYCHOSIS	5	5	-	-	-
309	OTHER AND UNSPECIFIED PSYCHOSES	2	1	-	1	-
310-318	PSYCHONEUROTIC DISORDERS	1	1	-	-	-
314	NEUROTIC-DEPRESSIVE REACTION	1	1	-	-	-
320-326	DISORDERS OF CHARACTER, BEHAVIOR, AND INTELLIGENCE	12	8	2	-	2
322	ALCOHOLISM	12	8	2	-	2
330-398	TOTAL - DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	741	354	7	372	9
330-334	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM	676	321	6	344	5
330	SUBARACHNOID HEMORRHAGE	23	10	-	12	1
331	CEREBRAL HEMORRHAGE	395	184	6	191	4
332	CEREBRAL EMBOLISM AND THROMBOSIS	172	79	-	93	-
334	OTHER & ILL-DEFINED VASCULAR LESIONS OF CENTRAL NERVOUS SYSTEM	96	48	-	48	-
340-345	INFLAMMATORY DISEASES OF CENTRAL NERVOUS SYSTEM	20	6	1	11	2
340	MENTINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOSIS	7	2	1	2	2
342	INTRACRANIAL AND INTRASPINAL ABSCESS	1	-	-	1	-
343	ENCEPHALITIS, MYELITIS, & ENCEPHALOMYELITIS - EXCEPT ACUTE INFECTIOUS	3	1	-	2	-
344	LATE EFFECTS OF INTRACRANIAL ABSCESS OR PYOGENIC INFECTION	1	-	-	1	-
345	MULTIPLE SCLEROSIS	9	3	-	5	-
350-357	OTHER DISEASES OF CENTRAL NERVOUS SYSTEM	44	26	-	17	1
350	PARALYTIC AGITATION	17	10	-	6	1
351	CEREBRAL SPASTIC INFANTILE PARALYSIS	1	-	-	1	-
352	OTHER CEREBRAL PARALYSIS	1	-	-	1	-

TABLE 7
DEATHS BY CAUSE, SEX, AND COLOR
MONTANA, 1967
BY PLACE OF RESIDENCE

INTL. LIST NUMBER	CAUSE OF DEATH	TOTAL	MALE		FEMALE	
			WHITE	OTHER	WHITE	OTHER
353	EPILEPSY	11	6	-	5	-
355	OTHER DISEASES OF BRAIN	6	3	-	3	-
356	MOTOR NEURONE DISEASE AND MUSCULAR ATROPHY	8	7	-	1	-
390-398	DISEASES OF EAR AND MASTOID PROCESS	1	1	-	-	-
393	MASTOIDITIS WITHOUT MENTION OF OTITIS MEDIA	1	1	-	-	-
400-468	TOTAL - DISEASES OF THE CIRCULATORY SYSTEM	2,608	1,629	29	925	25
400-402	RHEUMATIC FEVER	1	1	-	-	-
401	RHEUMATIC FEVER WITH HEART INVOLVEMENT	1	1	-	-	-
410-416	CHRONIC RHEUMATIC HEART DISEASE	53	21	1	10	1
410	DISEASES OF MITRAL VALVE	15	7	-	8	-
411	DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC	5	2	-	3	-
412	DISEASES OF TRICUSPID VALVE	1	-	-	1	-
414	OTHER ENDOCARDITIS SPECIFIED AS RHEUMATIC	6	1	-	5	-
416	OTHER HEART DISEASE SPECIFIED AS RHEUMATIC	26	11	1	13	1
420-422	ARTERIOSCLEROTIC AND DEGENERATIVE HEART DISEASE	1,741	1,249	20	659	13
420	ARTERIOSCLEROTIC HEART DISEASE, INCLUDING CORONARY DISEASE	1,738	1,123	19	585	11
421	CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC	27	14	-	13	-
422	OTHER MYOCARDIAL DEGENERATION	176	112	1	61	2
430-434	OTHER DISEASES OF HEART	210	129	4	72	5
430	ACUTE AND SUBACUTE ENDOCARDITIS	1	1	-	-	-
431	ACUTE MYOCARDITIS NOT SPECIFIED AS RHEUMATIC	2	1	-	1	-
433	FUNCTIONAL DISEASE OF HEART	73	40	3	28	2
434	OTHER AND UNSPECIFIED DISEASES OF HEART	134	87	1	43	3
440-443	HYPERTENSIVE HEART DISEASE	93	53	2	36	2
441	ESSENTIAL MALIGNANT HYPERTENSIVE HEART DISEASE	1	1	-	-	-
442	HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR NEPHROSCLEROSIS	29	18	1	9	1
443	OTHER AND UNSPECIFIED HYPERTENSIVE HEART DISEASE	63	34	1	27	1
444-447	OTHER HYPERTENSIVE DISEASE	24	12	1	10	1
444	ESSENTIAL BENIGN HYPERTENSION	4	1	-	3	-
445	ESSENTIAL MALIGNANT HYPERTENSION	3	1	1	1	-
446	HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS	17	10	-	6	1
450-456	DISEASES OF ARTERIES	235	140	-	93	2
450	GENERAL ARTERIOSCLEROSIS	167	85	-	82	-
451	AORTIC ANEURYSM, NON-SYPHILITIC, AND DISSECTING ANEURYSM	49	46	-	3	-
452	OTHER ANEURYSM, EXCEPT OF HEART AND AORTA	3	1	-	1	1
453	PERIPHERAL VASCULAR DISEASE	1	1	-	-	-
454	ARTERIAL EMBOLEISM AND THROMBOSIS	5	3	-	1	1
455	GANGRENE OF UNSPECIFIED CAUSE	1	1	-	-	-
456	OTHER DISEASES OF ARTERIES	9	3	-	6	-
460-468	DISEASES OF VEINS AND OTHER DISEASES OF CIRCULATORY SYSTEM	51	24	1	25	1
460	VARICOSE VEINS OF LOWER EXTREMITIES	1	-	-	1	-
462	VARICOSE VEINS OF OTHER SPECIFIED SITES	1	-	-	1	-
463	PHLEBITIS AND THROMBOPHLEBITIS OF LOWER EXTREMITIES	4	1	-	7	-

TABLE 7
DEATHS BY CAUSE, SEX, AND COLOR
MONTANA, 1967
BY PLACE OF RESIDENCE

INTL. LIST NUMBER	CAUSE OF DEATH	TOTAL	MALE		FEMALE	
			WHITE	OTHER	WHITE	OTHER
464	PHLEBITIS AND THROMBOPHLEBITIS OF OTHER SITES	3	-	1	2	-
465	PULMONARY EMBOLISM AND INFARCTION	19	13	-	6	-
466	OTHER VENOUS EMBOLISM AND THROMBOSIS	12	7	-	4	1
467	OTHER DISEASES OF CIRCULATORY SYSTEM	6	2	-	4	-
468	CERTAIN DISEASES OF LYMPH NODES & LYMPH CHANNELS	1	1	-	-	-
470-527	TOTAL - DISEASES OF THE RESPIRATORY SYSTEM	373	250	19	97	8
470-475	ACUTE UPPER RESPIRATORY INFECTIONS	6	4	-	2	-
470	ACUTE NASOPHARYNGITIS - COMMON COLD	1	1	-	-	-
47A	ACUTE LARYNGITIS AND TRACHEITIS	4	2	-	2	-
475	ACUTE UPPER RESPIRATORY INFECTION OF MULTIPLE OR UNSPECIFIED SITES	1	1	-	-	-
480-483	INFLUENZA	3	1	-	2	-
480	INFLUENZA WITH PNEUMONIA	1	-	-	1	-
481	INFLUENZA WITH OTHER RESPIRATORY MANIFESTATIONS, & INFLUENZA UNQUAL.	2	1	-	1	-
490-493	PNEUMONIA	196	116	14	60	6
490	LOBAR PNEUMONIA	23	16	1	6	-
491	BRONCHOPNEUMONIA	80	47	6	25	2
492	PRIMARY ATYPICAL PNEUMONIA	13	5	1	7	-
493	PNEUMONIA, OTHER AND UNSPECIFIED	80	48	6	22	4
500-502	BRONCHITIS	27	20	-	7	-
500	ACUTE BRONCHITIS	9	5	-	3	-
501	BRONCHITIS, UNQUALIFIED	3	1	-	2	-
502	CHRONIC BRONCHITIS	16	14	-	2	-
510-527	OTHER DISEASES OF RESPIRATORY SYSTEM	141	109	4	26	2
517	OTHER DISEASES OF UPPER RESPIRATORY TRACT	1	-	-	1	-
518	EMPHYSEMA	3	1	-	1	1
522	PULMONARY CONGESTION AND HYPOSTASIS	13	9	-	4	1
523	PNEUMOCONIOSIS DUE TO SILICA AND SILICATES - OCCUPATIONAL	4	4	-	-	-
525	OTHER CHRONIC INTERSTITIAL PNEUMONIA	8	5	-	3	-
526	BRONCHIECTASIS	1	2	-	1	-
527	OTHER DISEASES OF LUNG AND PLEURAL CAVITY	109	89	4	16	-
530-547	TOTAL - DISEASES OF THE DIGESTIVE SYSTEM	231	133	4	75	19
530-539	DISEASES OF BUCCAL CAVITY AND ESOPHAGUS	1	1	-	-	-
539	DISEASES OF ESOPHAGUS	1	1	-	-	-
540-545	DISEASES OF STOMACH AND DUODENUM	52	36	1	15	-
540	ULCER OF STOMACH	26	17	-	9	-
541	ULCER OF DUODENUM	19	14	1	4	-
542	GASTRODUJUNAL ULCER	1	1	-	-	-
543	GASTRITIS AND DUODENITIS	1	1	-	-	-
545	OTHER DISEASES OF STOMACH AND DUODENUM	5	3	-	2	-
550-553	APPENDICITIS	2	1	-	1	-
550	ACUTE APPENDICITIS	2	1	-	1	-
560-561	HERNIA OF ABDOMINAL CAVITY	7	4	-	2	1
560	HERNIA OF ABDOMINAL CAVITY WITHOUT MENTION OF OBSTRUCTION	2	1	-	1	-
561	HERNIA OF ABDOMINAL CAVITY WITH OBSTRUCTION	5	3	-	1	1
570-578	OTHER DISEASES OF INTESTINES AND PERITONEUM	60	28	1	26	5
570	INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA	23	2	-	12	2

TABLE 7
DEATHS BY CAUSE, SEX, AND COLOR
MONTANA, 1967
BY PLACE OF RESIDENCE

INTL. LIST NUMBER	CAUSE OF DEATH	TOTAL	MALE		FEMALE	
			WHITE	OTHER	WHITE	OTHER
571	GASTRO-ENTERITIS & COLITIS, EXCEPT ULCERA- TIVE, AGE 4 WEEKS & OVER	8	4	1	1	2
572	CHRONIC ENTERITIS AND ULCERATIVE COLITIS	16	7	-	2	-
573	FUNCTIONAL DISORDERS OF INTESTINES	1	1	-	-	-
576	PERITONITIS	1	1	-	-	-
578	OTHER DISEASES OF INTESTINES AND PERITONEUM	11	6	-	4	1
580-587	DISEASES OF LIVER, GALLBLADDER, AND PANCREAS	109	63	2	31	13
580	ACUTE AND SUBACUTE YELLOW ATROPHY OF LIVER	3	1	-	-	2
581	CIRRHOSIS OF LIVER	66	37	2	17	10
583	OTHER DISEASES OF LIVER	6	4	-	2	-
584	CHOLELITHIASIS	10	5	-	4	1
585	CHOLECYSTITIS AND CHOLANGITIS, WITHOUT MENTION OF CALCULI	7	3	-	4	-
586	OTHER DISEASES OF GALLBLADDER AND BILIARY DUCTS	7	4	-	3	-
587	DISEASES OF PANCREAS	10	9	-	1	-
590-637	TOTAL - DISEASES OF THE GENITO-URINARY SYSTEM	99	63	2	32	2
590-594	NEPHRITIS AND NEPHROSIS	38	23	1	14	-
590	ACUTE NEPHRITIS	2	2	-	-	-
591	NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS	4	1	-	3	-
592	CHRONIC NEPHRITIS	22	12	1	9	-
593	NEPHRITIS NOT SPECIFIED AS ACUTE OR CHRONIC	10	8	-	2	-
600-609	OTHER DISEASES OF URINARY SYSTEM	45	26	1	17	1
600	INFECTIONS OF KIDNEY	30	18	-	11	1
601	HYDRONEPHROSIS	1	-	-	1	-
602	CALCULI OF KIDNEY AND URETER	6	2	-	4	-
603	OTHER DISEASES OF KIDNEY AND URETER	4	3	-	1	-
605	CYSTITIS	2	2	-	-	-
608	STRICTURE OF URETHRA	1	-	1	-	-
609	OTHER DISEASES OF URETHRA	1	1	-	-	-
610-617	DISEASES OF MALE GENITAL ORGANS	14	14	-	-	-
610	HYPERPLASIA OF PROSTATE	13	13	-	-	-
612	OTHER DISEASES OF PROSTATE	1	1	-	-	-
620-626	DISEASES OF BREAST, OVARY, FALLOPIAN TUBE, AND PARAMETRIUM	1	-	-	-	1
62A	SALPINGITIS AND OOPHORITIS, UNQUALIFIED	1	-	-	-	1
630-637	DISEASES OF UTERUS AND OTHER FEMALE GENITAL ORGANS	1	-	-	1	-
633	OTHER DISEASES OF UTERUS	1	-	-	1	-
640-649	TOTAL - COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	3	-	-	1	2
640-649	COMPLICATIONS OF PREGNANCY	2	-	-	1	1
648	OTHER COMPLICATIONS ARISING FROM PREGNANCY	2	-	-	1	1
670-678	DELIVERY WITH SPECIFIED COMPLICATION	1	-	-	-	1
670	DELIVERY COMPLICATED BY PLACENTA PREVIA OR ANTEPARTUM HEMORRHAGE	1	-	-	-	1
690-716	TOTAL - DISEASES OF THE SKIN AND CELLULAR TISSUE	11	-	1	8	2
690-698	INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE	2	-	1	1	-
692	OTHER CELLULITIS AND ABSCESS WITHOUT MENTION OF LYMPHANGITIS	1	-	1	-	-
698	OTHER LOCAL INFECTIONS OF SKIN & SUBCUTANEOUS TISSUE	1	-	-	1	-

TABLE 7
DEATHS BY CAUSE, SEX, AND COLOR
MONTANA, 1967
BY PLACE OF RESIDENCE

INTL. LIST NUMBER	CAUSE OF DEATH	TOTAL	MALE		FEMALE	
			WHITE	OTHER	WHITE	OTHER
700-716	OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE	9	-	-	7	2
705	ERYTHEMATOUS CONDITIONS	5	-	-	4	1
710	OTHER HYPERTRIPHIC AND ATROPHIC CONDITIONS OF SKIN	2	-	-	1	1
715	CHRONIC ULCER OF SKIN	2	-	-	2	-
720-749	TOTAL - DISEASES OF THE BONES AND ORGANS OF MOVEMENT	20	10	1	7	2
720-727	ARTHRITIS AND RHEUMATISM, EXCEPT RHEUMATIC FEVER	11	3	1	5	2
722	RHEUMATOID ARTHRITIS AND ALLIED CONDITIONS	10	3	1	5	1
725	ARTHRITIS, UNSPECIFIED	1	-	-	-	1
730-738	OSTEOMYELITIS AND OTHER DISEASES OF BONE AND JOINT	6	5	-	1	-
730	OSTEOMYELITIS AND PERIOSTITIS	1	1	-	-	-
731	OSTEITIS DEFORMANS	1	-	-	1	-
733	OTHER DISEASES OF BONE	2	2	-	-	-
738	OTHER DISEASES OF JOINT	2	2	-	-	-
740-749	OTHER DISEASES OF MUSCULOSKELETAL SYSTEM	3	2	-	1	-
744	OTHER DISEASES OF MUSCLE, TENDON, AND FASCIA	3	2	-	1	-
750-759	TOTAL - CONGENITAL MALFORMATIONS	67	35	2	29	1
750-759	CONGENITAL MALFORMATIONS	67	35	2	29	1
750	MONSTROSITY	4	2	-	2	-
751	SPINA BIFIDA AND MENINGOCELE	3	2	-	1	-
752	CONGENITAL HYDROCEPHALUS	4	2	-	2	-
753	OTHER CONGENITAL MALFORMATIONS OF NERVOUS SYSTEM AND SENSE ORGANS	3	1	-	1	1
754	CONGENITAL MALFORMATIONS OF CIRCULATORY SYSTEM	30	15	1	14	-
755	CLEFT PALATE AND HARTLIP	1	-	-	1	-
756	CONGENITAL MALFORMATIONS OF DIGESTIVE SYSTEM	7	2	1	4	-
757	CONGENITAL MALFORMATIONS OF GENITO-URINARY SYSTEM	6	6	-	-	-
759	OTHER CONGENITAL MALFORMATIONS UNCLASSIFIED ELSEWHERE	9	5	-	4	-
760-776	TOTAL - CERTAIN DISEASES OF EARLY INFANCY	165	85	9	65	6
760-769	BIRTH INJURIES, ASPHYXIA, AND INFECTIONS OF NEWBORN	52	26	6	19	1
760	INTRACRANIAL AND SPINAL INJURY AT BIRTH	3	2	1	-	-
761	OTHER BIRTH INJURY	17	9	1	6	1
762	POSTNATAL ASPHYXIA AND ATLECTASIS	26	12	3	11	-
763	PNEUMONIA OF NEWBORN	3	2	-	1	-
768	OTHER SEPSIS OF NEWBORN	1	-	1	-	-
769	NEONATAL DISORDERS FROM CERTAIN DISEASES OF MOTHER DURING PREGNANCY	2	1	-	1	-
770-776	OTHER DISEASES PECULIAR TO EARLY INFANCY	113	59	3	46	5
770	HEMOLYTIC DISEASE OF NEWBORN - ERYTHROBLASTOSIS	6	4	-	2	-
771	HEMORRHAGIC DISEASE OF NEWBORN	1	1	-	-	-
772	NUTRITIONAL MALADJUSTMENT	1	1	-	-	-
773	ILL-DEFINED DISEASES PECULIAR TO EARLY INFANCY	39	24	1	12	2
774	IMMATURITY WITH MENTION OF ANY OTHER SUBSISTING CONDITION	7	4	-	3	-

TABLE 7
DEATH BY CAUSE, SEX, AND COLOR
MONTANA, 1967
BY PLACE OF RESIDENCE

INTL. LIST NUMBER	CAUSE OF DEATH	TOTAL	MALE		FEMALE	
			WHITE	OTHER	WHITE	OTHER
776	IMMATURITY, UNQUALIFIED	59	25	2	29	3
780-795	TOTAL - SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS	195	141	4	47	3
780-789	SYMPTOMS REFERRABLE TO SYSTEMS OR ORGANS	57	39	1	16	1
782	SYMPTOMS REFERRABLE TO CARDIOVASCULAR AND LYMPHATIC SYSTEM	51	34	1	15	1
783	SYMPTOMS REFERRABLE TO RESPIRATORY SYSTEM	5	4	-	1	-
788	OTHER GENERAL SYMPTOMS	1	1	-	-	-
790-795	SENILITY AND ILL-DEFINED DISEASES	138	102	3	31	2
792	UREMIA	2	1	-	1	-
794	SENILITY WITHOUT MENTION OF PSYCHOSIS	12	7	-	4	1
795	ILL-DEFINED AND UNKNOWN CAUSES OF MORBIDITY AND MORTALITY	124	94	3	26	1
800-999	TOTAL - ACCIDENTS, POISONINGS, AND VIOLENCE	718	495	53	166	24
800-802	RAILWAY ACCIDENT	7	6	1	-	-
800	RAILWAY ACCIDENT INVOLVING RAILROAD EMPLOYEE	2	2	-	-	-
802	RAILWAY ACCIDENT INVOLVING OTHER AND UNSPECIFIED PERSON	5	4	1	-	-
810-825	MOTOR VEHICLE TRAFFIC ACCIDENTS	297	193	24	66	14
810	INVOLVING COLLISION WITH RAILWAY TRAIN	14	9	-	5	-
812	TO PEDESTRIAN	23	18	-	3	2
813	TO PEDAL CYCLIST	1	1	-	-	-
814	TO RIDER OR PASSENGER OF MOTORCYCLE IN COLLISION WITH NONMOTOR VEHICLE, ETC.	1	1	-	-	-
815	TO RIDER OR PASSENGER OF MOTORCYCLE IN COLLISION WITH MOTOR VEHICLE	9	6	1	2	-
816	OTHER MOTOR VEHICLE ACCIDENT INVOLVING TWO OR MORE MOTOR VEHICLES	106	60	5	33	8
818	INVOLVING COLLISION WITH ANIMAL OR ANIMAL-DRAWN VEHICLE	2	1	-	-	-
819	INVOLVING COLLISION WITH FIXED OR UNSPECIFIED OBJECT	27	20	4	3	-
823	INVOLVING RUNNING OFF ROADWAY	106	73	13	16	4
824	OTHER NON-COLLISION MOTOR VEHICLE TRAFFIC ACCIDENT	3	1	-	2	-
825	ACCIDENT OF UNSPECIFIED NATURE	5	2	1	2	-
830-835	MOTOR VEHICLE NON-TRAFFIC ACCIDENTS	21	16	1	2	2
830	TO PEDESTRIAN	11	7	1	1	2
833	INVOLVING TWO OR MORE MOTOR VEHICLES	4	3	-	1	-
834	ACCIDENT WHILE LOADING AND UNLOADING	1	1	-	-	-
835	OF OTHER AND UNSPECIFIED NATURE	5	5	-	-	-
840-845	OTHER ROAD VEHICLE ACCIDENTS	8	6	1	3	-
843	TO RIDER OF PEDAL CYCLE NOT INVOLVING COLLISION WITH MOTOR VEHICLE	1	1	-	-	-
845	OTHER NON-TRAFFIC ROAD VEHICLE ACCIDENTS	7	5	1	2	-
850-858	WATER TRANSPORT ACCIDENT	4	3	-	1	-
850	SOME DESIGN OF ACCIDENT ON SMALL BOAT	4	3	-	1	-
860-866	AIRCRAFT ACCIDENTS	2	1	-	-	-
863	IMPACT OR COLLISION BY ACCIDENT TO OTHER AIRCRAFT OR AIRCRAFT	1	1	-	-	-
866	OTHER AS CAUSE OF AIRCRAFT ACCIDENT	1	1	-	-	-
870-888	ACCIDENTAL POISONING BY SELF AND OTHERS SUBSTANCE	3	2	-	1	-
874	BY OTHER ANALGESIC OR SLEEPING DRUGS	1	1	-	1	-

TABLE 7
MONTANA, 1967
BY PLACE OF RESIDENCE


INTL. LIST NUMBER	CAUSE OF DEATH	TOTAL	MALE		FEMALE	
			WHITE	OTHER	WHITE	OTHER
880	BY ACCIDENT	1	1	-	-	-
890-895	ACCIDENTAL POISONING BY GASES AND VAPORS	11	7	-	4	-
890	BY UTILITY - ILLUMINATING - GAS	6	4	-	2	-
891	BY MOTOR VEHICLE EXHAUST GAS	4	3	-	2	-
892	BY OTHER GAS AND MERCURY GAS	1	1	-	-	-
900-904	ACCIDENTAL FALLS	40	47	6	36	1
900	FALL FROM STAIRS	12	9	-	3	-
901	FALL FROM LADDERS	3	3	-	-	-
902	OTHER FALL FROM ONE LEVEL TO ANOTHER	15	11	-	4	-
903	FALL IN SAME LEVEL	12	6	1	6	-
904	UNSPECIFIED FALLS	40	10	5	24	1
910-916	OTHER ACCIDENT	152	112	12	18	4
910	PUSHED BY FALLING OBJECT	16	14	2	-	-
911	CAUSED BY VEHICLE	2	2	-	-	-
912	CAUSED BY MACHINERY	11	11	-	-	-
913	CAUSED BY CUTTING & PIERCING INSTRUMENTS	2	-	1	1	-
914	CAUSED BY ELECTRIC CURRENT	2	2	-	-	-
916	CAUSED BY FIRE AND EXPLOSION OF COMBUSTIBLE MATERIAL	28	20	3	4	1
919	CAUSED BY FIRE ARM	23	12	1	2	1
921	INHALATION AND INGESTION OF FOOD CAUSING DYSFUNCTION OR SUFFOCATION	4	3	-	1	-
922	INHALATION & INGL. OF OTHER OBJECT CAUSING DYSFUNCTION OR SUFFOCATION	3	1	-	2	-
923	FOREIGN BODY ENTERING OTHER ORIFICE	5	4	-	1	-
924	ACCIDENTAL MECHANICAL SUFFOCATION IN BED AND CHAIR	6	3	-	1	2
925	ACCIDENTAL MECHANICAL SUFFOCATION IN OTHER & UNSPECIFIED CIRCUMSTANCE	4	4	-	-	-
929	ACCIDENTAL DROWNING AND SUBMERSION	31	23	3	5	-
932	EXCESSIVE COLD	5	4	1	-	-
933	HUNGER, THIRST, AND EXPOSURE	3	1	1	1	-
935	LIGHTNING	1	1	-	-	-
936	OTHER AND UNSPECIFIED ACCIDENTS	6	-	-	-	-
940-946	COMPLICATION DUE TO NON-THERAPEUTIC MEDICAL AND SURGICAL PROCEDURES	1	1	-	-	-
946	OTHER COMPLICATIONS	1	1	-	-	-
950-959	THERAPEUTIC MISADVENTURE - LATE COMPLICATIONS OF THERAPEUTIC PROCEDURES	2	-	-	2	-
953	THERAPEUTIC MISADVENTURE IN ADMINISTRATION OF DRUGS OR BIOLOGICALS	1	-	-	1	-
954	THERAPEUTIC MISADVENTURE IN ANESTHESIA	1	-	-	1	-
960-965	LATE EFFECTS OF INJURY AND POISONING	2	1	-	1	-
960	LATE EFFECT OF MOTOR VEHICLE ACCIDENT	1	-	-	1	-
962	LATE EFFECT OF OTHER ACCIDENTAL INJURY	1	1	-	-	-
970-979	SUICIDE AND SELF-INFLICTED INJURY	100	72	4	23	1
970	POISONING BY ANALGESIC AND SORBITIC SUBSTANCES	8	7	-	5	1
971	POISONING BY OTHER SOLID AND LIQUID SUBSTANCES	3	1	-	2	-
972	POISONING BY GASES IN DOMESTIC USE	1	1	-	-	-
973	POISONING BY OTHER GASES	2	-	-	1	-
974	BY HANGING AND STRANGULATION	7	6	-	1	-
975	BY OTHER MEANS OF HANGING	4	1	-	3	-
976	BY FIRE ARM AND PROJECTIVE	40	36	4	10	-
979	BY OTHER MEANS OF SELF-INFLICTED INJURY	1	-	-	1	-
980-984	HEMICAL AND PHYSICAL INJURY INFLICTED BY OTHER PERSONS OR ANIMALS	11	10	4	2	2

TABLE 7
DEATHS BY CAUSE, SEX, AND COLOR
MONTANA, 1957
BY PLACE OF RESIDENCE


INTL. LIST NUMBER	CAUSE OF DEATH	TOTAL	MALE		FEMALE	
			WHITE	OTHER	WHITE	OTHER
981	ASSAULT BY FIREARM AND EXPLOSIVE	20	9	2	8	1
982	ASSAULT BY CUTTING AND PIERCING INSTRUMENTS	3	3	-	-	-
983	ASSAULT BY OTHER MEANS	4	2	-	1	1
984	INJURY BY INTERVENTION OF POLICE	4	2	2	-	-

Table 8


IMPORTANT CAUSES OF DEATH BY AGE GROUP:
Montana, 1967
(By place of residence)



CAUSE OF DEATH	SEVENTH REVISION International List Number	Number	Percent	Rank Order
UNDER 1 YEAR				
Total, All Causes		290	100.0	
Prematurity unqualified or with subsidiary conditions	774-776	66	22.8	1
Congenital malformations	750-759	48	16.6	2
Other diseases of early infancy (exclusive of infections)	772-773	40	13.8	3
Pneumonia, all forms and influenza	480-493, 763	28	9.7	4
Atelectasis	762	26	9.0	5
Injury at birth	760-761	20	6.9	6
All other causes		62	21.4	




CAUSE OF DEATH	SEVENTH REVISION International List Number	Number	Percent	Rank Order
1-4 YEARS				
Total, All Causes		63	100.0	
Accidents, exclusive of motor vehicle	800-802, 840-962	16	25.4	1
Motor vehicle accidents	810-835	11	17.5	2
Congenital malformations	750-759	8	12.7	3
Pneumonia, all forms and influenza	480-493	6	9.5	4
Diseases of the central nervous system, except vascular lesions	340-357	5	7.9	5
Diseases attributable to viruses	080-096	3	4.8	6
Malignant neoplasms	140-205	3	4.8	6
All other causes		11	17.5	




CAUSE OF DEATH	SEVENTH REVISION International List Number	Number	Percent	Rank Order
5-14 YEARS				
Total, All Causes		47	100.0	
Motor vehicle accidents	810-835	18	38.3	1
Accidents, exclusive of motor vehicle	800-802, 840-962	16	34.0	2
Malignant neoplasms	140-205	3	6.4	3
Diseases of the central nervous system, except vascular lesions	340-357	3	6.4	3
Congenital malformations	750-759	1	2.1	4
All other causes		6	12.8	

Table 8, Continued


IMPORTANT CAUSES OF DEATH BY AGE GROUP:
Montana, 1967
(By place of residence)



CAUSE OF DEATH	SEVENTH REVISION International List Number	Number	Percent	Rank Order
15-24 YEARS				
Total, All Causes		213	100.0	
Motor vehicle accidents	810-835	113	53.1	1
Accidents, exclusive of motor vehicle	800-802,840-962	34	16.0	2
Suicides	970-979	18	8.5	3
Malignant neoplasms	140-205	10	4.7	4
Homicides	980-985	6	2.8	5
Congenital malformations	750-759	5	2.3	6
All other causes		27	12.7	




CAUSE OF DEATH	SEVENTH REVISION International List Number	Number	Percent	Rank Order
25-34 YEARS				
Total, All Causes		129	100.0	
Motor vehicle accidents	810-835	39	30.2	1
Accidents, exclusive of motor vehicle	800-802,840-962	27	20.3	2
Suicides	970-979	18	14.0	3
Malignant neoplasms	140-205	14	10.9	4
Homicides	980-985	8	6.2	5
Heart diseases	410-443	4	3.1	6
All other causes		19	14.7	




CAUSE OF DEATH	SEVENTH REVISION International List Number	Number	Percent	Rank Order
35-44 YEARS				
Total, All Causes		236	100.0	
Malignant neoplasms	140-205	42	17.8	1
Heart diseases	410-443	40	16.9	2
Motor vehicle accidents	810-835	32	13.6	3
Accidents, exclusive of motor vehicle	800-802,840-962	32	13.6	3
Vascular lesions affecting central nervous system	330-334	14	5.9	4
Suicides	970-979	13	5.5	5
Cirrhosis of the liver	581	9	3.8	6
All other causes		54	22.9	

Table 8, Continued


IMPORTANT CAUSES OF DEATH BY AGE GROUP:
Montana, 1967
(By place of residence)



CAUSE OF DEATH	SEVENTH REVISION International List Number	Number	Percent	Rank Order
45-54 YEARS				
Total, All Causes		568	100.0	
Heart diseases	410-443	172	30.3	1
Malignant neoplasms	140-205	129	22.7	2
Motor vehicle accidents	810-835	41	7.2	3
Accidents, exclusive of motor vehicle	800-802,840-962	39	6.9	4
Suicides	970-979	27	4.8	5
Vascular lesions affecting central nervous system	330-334	23	4.0	6
Cirrhosis of the liver	581	19	3.3	7
All other causes		118	20.8	



CAUSE OF DEATH	SEVENTH REVISION International List Number	Number	Percent	Rank Order
55-64 YEARS				
Total, All Causes		953	100.0	
Heart diseases	410-443	367	38.5	1
Malignant neoplasms	140-205	211	22.1	2
Vascular lesions affecting central nervous system	330-334	69	7.2	3
Other respiratory diseases	510-527	32	3.4	4
Motor vehicle accidents	810-835	28	2.9	5
Accidents, exclusive of motor vehicle	800-802,840-962	26	2.7	6
Diabetes mellitus	260	23	2.4	7
All other causes		197	20.7	



CAUSE OF DEATH	SEVENTH REVISION International List Number	Number	Percent	Rank Order
65 AND OVER				
Total, All Causes		4,046	100.0	
Heart diseases	410-443	1,707	42.2	1
Malignant neoplasms	140-205	592	14.6	2
Vascular lesions affecting central nervous system	330-334	564	13.9	3
Diseases of circulatory system	444-468	268	6.6	4
Pneumonia, all forms and influenza	480-493	139	3.4	5
Diabetes mellitus	260	105	2.6	6
Other respiratory diseases	510-527	94	2.3	7
Accidents, exclusive of motor vehicle	800-802,840-962	83	2.1	8
All other causes		494	12.2	

Table 9

DEATHS FROM SELECTED ACCIDENTS BY AGE:

MONTANA, 1967

(By place of occurrence. Each percent has been independently rounded to the nearest one-tenth of one percent; hence, the sums of parts may differ slightly from the totals shown.)

SEVENTH REVISION International List Number	ACCIDENTAL CAUSE OF DEATH	Total All Ages	Under 1 Year	N U M B E R							45-54	55-64	65 and Over	Age not stated
				1-4	5-9	10-14	15-19	20-24	25-34	35-44				
	Total Deaths, All Causes	6,505	288	59	24	30	111	101	137	239	559	943	4,010	4
	Accidental Deaths, Total	638	20	28	17	23	84	63	77	71	85	50	120	-
810-835	Motor Vehicle, total	338	2	10	11	9	61	50	49	38	48	23	37	-
800-802,840-962	Other accidents, total	300	18	18	6	14	23	13	28	33	37	27	83	-
800-802,840-866	Other transportation, total	40	-	3	2	5	2	3	11	4	3	6	1	-
860-866	Aircraft	19	-	2	1	2	-	3	9	2	-	-	-	-
800-802,840-858	Other	21	-	1	1	3	2	-	2	2	3	6	1	-
870-888	Poisoning by solids and liquids, total	2	-	-	-	-	-	-	-	-	1	-	1	-
871	Barbiturates	-	-	-	-	-	-	-	-	-	-	-	-	-
870, 872-888	Other	2	-	-	-	-	-	-	-	-	1	-	1	-
890-895	Poisoning by gases, total	11	-	3	-	-	1	1	2	4	-	-	-	-
890	Utility gas	6	-	3	-	-	1	1	2	2	-	-	-	-
891-895	Other	5	-	-	-	-	-	-	-	-	-	-	-	-
900-904	Falls, total	91	3	1	-	1	1	3	1	6	7	4	64	-
900	On stairs	11	-	-	-	-	-	1	-	2	2	-	6	-
901	From ladder	2	-	-	-	-	-	-	-	1	-	-	1	-
902	One level to another	17	2	1	-	1	1	2	1	-	2	1	6	-
903	Same level	14	-	-	-	-	-	-	-	-	-	1	13	-
904	Unspecified	47	1	-	-	-	-	-	-	3	3	2	38	-
916	Fire and explosions, total	25	-	3	-	1	-	-	2	3	6	3	7	-
919	Injury by firearms, total	22	-	-	-	3	6	3	1	2	2	3	2	-
979	Drowning, total	30	-	5	3	3	6	2	4	3	3	-	1	-
910-915, 917-918 920-928, 930-962	Other accidents, total	79	15	3	1	1	7	1	7	11	15	11	7	-
P E R C E N T O F D E A T H S F R O M C A U S E S														
	Total, Accidental Deaths	9.8	6.9	47.5	70.8	76.7	75.7	62.4	56.2	29.7	15.2	5.3	3.0	0.0
810-835	Motor vehicle	5.2	0.7	16.9	45.8	30.0	55.0	49.5	35.8	15.9	8.6	2.4	0.9	0.0
800-802,840-962	Other accidents	4.6	6.2	30.5	25.0	46.7	20.7	12.9	20.4	13.8	6.6	2.9	2.1	0.0

Table 10

LIST OF MATERNAL DEATHS BY COUNTY OF OCCURRENCE, COUNTY OF RESIDENCE, RACE, AGE, AND CAUSE OF DEATH:

Montana, 1962-1967

Place (Of occurrence)	Place (Of residence)	Race	Age	SEVENTH REVISION International List Number	Cause of Death
Cascade (1967)	Cascade	White	30	648.3	Ruptured uterus
Cascade (1964)	Cascade	White	41	670.6	Placenta abruptio
Cascade (1964)	Pondera	White	38	642.5	Toxemia of pregnancy
Fergus (1962)	Fergus	White	34	672.6	Severe postpartum hemorrhage
Hill (1962)	Hill	Indian	33	678.5	Cesarean section for prolapsed umbilical cord
Hill (1963)	Blaine	Indian	31	672.6	Shock with peripheral vascular collapse Secondary uterine hemorrhage
Jefferann (1966)	Jefferson	White	22	650.2	Self-induced abortion
Lewis & Clark (1967)	Lewis & Clark	Indian	36	670.5	Hemorrhage Ruptured uterus and placenta previa
Lincoln (1963)	Lincoln	White	36	681	Puerperal sepsis Prolonged labor
Madison (1965)	Madison	White	26	645.0	Ruptured ectopic pregnancy
Missoula (1967)	Lake	Indian	19	670.5	Delivery complicated by placenta previa
Missoula (1962)	Missoula	White	34	684	Pulmonary embolism Delivery of twins
Powell (1964)	Powell	White	39	648.3	Ruptured uterus
Richland (1964)	Richland	White	20	675.5	Cesarean section-dystocia
Richland (1964)	Richland	White	32	670.6	Placenta previa
Roosevelt (1965)	Richland	White	24	681	Puerperal sepsis operation Removal of infarcted uterus
Silver Bow (1967)	Deer Lodge	Asian	23	648.1	Abortion of Hydatidiform mole
Silver Bow (1966)	Silver Bow	White	23	681	Puerperal sepsis
Silver Bow (1966)	Silver Bow	White	40	648.3	Ruptured uterus
Valley (1962)	Valley	White	23	670.6	Shock, severe irreversible abruptio placenta
Valley (1964)	Valley	White	38	672.6	Afibrinogenemia
Yellowstone (1962)	Yellowstone	White	22	650.2	Complications, Abortion
Yellowstone (1964)	Yellowstone	White	24	678.6	Embolism left internal carotid artery
Calgary, Alberta Canada (1962)	Flathead	White	32	652.2	Abortion - acute tubular nephrosis

Table 11

DEATHS FROM SELECTED CAUSES BY COUNTY:
 Montana, 1967
 (By place of residence)

County	Seventh Revision, International List Number														All Other Causes
	Total, All Causes	800-962	550-553	140-205	260	410-443	480-483	340	590-594	490-493	080-081	020-029	001-019	330-334	
		Accidents	Appendicitis	Cancer	Diabetes	Heart Disease	Influenza	Menigitis	Nephritis	Pneumonia	Poliomyelitis	Syphilis	Tuberculosis	Vascular Lesions Affecting Central Nervous System	
MONTANA, Total	6,549	607	2	1,004	143	2,297	3	20	38	196	-	13	17	676	1,533
Beaverhead	98	8	-	13	2	28	-	-	1	2	-	-	-	13	31
Big Horn	97	13	-	8	2	26	-	1	-	5	-	-	3	11	28
Blaine	80	12	-	11	4	28	-	-	-	1	-	-	-	8	16
Broadwater	30	3	-	3	-	12	-	-	-	-	-	-	-	3	9
Carbon	115	9	-	18	3	45	-	-	1	2	-	2	-	16	19
Carter	21	-	-	3	1	8	-	-	-	-	-	1	-	2	6
Cascade	658	50	-	100	10	223	-	1	3	14	-	2	1	75	179
Chouteau	66	8	-	14	-	21	-	-	-	-	-	-	-	7	16
Custer	133	6	-	21	1	56	-	-	-	11	-	1	-	13	24
Daniels	40	2	-	2	1	22	-	-	-	-	-	-	-	7	6
Dawson	92	8	-	15	2	38	-	-	-	3	-	-	-	14	12
Deer Lodge	170	17	-	24	2	63	-	-	1	7	-	1	-	15	40
Fallon	35	1	-	12	2	10	-	-	1	1	-	-	-	1	7
Fergus	144	12	-	17	6	58	1	-	-	3	-	-	1	11	35
Flathead	340	29	-	50	5	132	-	1	2	7	-	2	1	31	80
Gallatin	210	17	-	36	2	80	-	1	2	8	-	-	1	19	44
Garfield	14	4	-	1	2	3	-	-	-	-	-	-	-	2	2
Glacier	100	9	-	10	2	30	-	1	-	5	-	-	1	17	25
Golden Valley	12	-	-	1	-	4	-	-	-	-	-	-	-	2	5
Granite	39	6	-	6	-	9	-	-	1	4	-	-	-	4	9
Hill	166	22	-	25	2	49	-	-	1	7	-	1	1	16	42
Jefferson	42	12	-	5	1	12	-	-	-	2	-	1	-	3	6
Judith Basin	24	5	-	4	1	10	-	-	-	-	-	-	-	1	3
Lake	180	31	-	18	1	58	-	-	1	3	-	-	-	18	50
Lewis & Clark	306	19	1	63	4	97	-	-	2	4	-	1	1	34	80
Liberty	17	2	-	3	-	7	-	1	-	-	-	-	-	1	3
Lincoln	108	15	-	14	4	34	-	1	1	4	-	-	-	14	21
McCone	27	5	-	4	1	9	-	-	-	1	-	-	-	1	6
Madison	65	5	-	10	2	27	-	-	1	1	-	1	-	7	11
Meagher	32	3	-	3	2	6	-	-	1	2	-	-	-	7	8
Mineral	29	5	-	5	-	11	-	-	-	-	-	-	-	2	6
Missoula	427	34	1	83	10	162	-	1	2	11	-	-	1	41	76
Musselshell	53	2	-	10	1	27	-	1	-	-	-	-	-	5	7
Park	130	8	-	20	5	51	-	-	1	5	-	-	-	17	23
Petroleum	8	-	-	5	-	3	-	-	-	-	-	-	-	-	-

Table 12
 INFANT MORTALITY BY RACE AND AGE GROUP AND FIVE-YEAR INFANT MORTALITY RATES:
 Montana Counties, 1967
 (By place of residence)

County	Total Under 1 Year			Under 28 Days			1-11 Months			Five-Year Infant Mortality Rate*
	Total	White	Other	Total	White	Other	Total	White	Other	
MONTANA, Total	290	254	36	204	186	18	86	68	18	24.5
Beaverhead	3	3	-	2	2	-	1	1	-	20.6
Big Horn	8	-	8	3	-	3	5	-	5	33.1
Blaine	-	-	-	-	-	-	-	-	-	17.8
Broadwater	1	1	-	-	-	-	1	1	-	18.3
Carbon	2	2	-	2	2	-	-	-	-	15.0
Carter	1	1	-	1	1	-	-	-	-	30.9
Cascade	30	26	4	23	20	3	7	6	1	20.8
Chouteau	3	3	-	3	3	-	-	-	-	29.6
Custer	-	-	-	-	-	-	-	-	-	15.6
Daniels	3	3	-	3	3	-	-	-	-	21.9
Dawson	3	3	-	1	1	-	2	2	-	19.7
Deer Lodge	7	7	-	5	5	-	2	2	-	24.7
Fallon	2	2	-	2	2	-	-	-	-	25.5
Fergus	8	8	-	6	6	-	2	2	-	26.7
Flathead	18	18	-	10	10	-	8	8	-	27.4
Gallatin	10	10	-	6	6	-	4	4	-	24.3
Garfield	-	-	-	-	-	-	-	-	-	16.9
Glacier	6	2	4	4	2	2	2	-	2	37.1
Golden Valley	-	-	-	-	-	-	-	-	-	29.4
Granite	3	3	-	1	1	-	2	2	-	38.9
Hill	7	7	-	5	5	-	2	2	-	22.1
Jefferson	3	2	1	1	1	-	2	1	1	20.7
Judith Basin	-	-	-	-	-	-	-	-	-	5.2
Lake	14	8	6	9	5	4	5	3	2	35.9
Lewis & Clark	14	13	1	12	11	1	2	2	-	28.4
Liberty	1	1	-	1	1	-	-	-	-	27.0
Lincoln	9	9	-	7	7	-	2	2	-	24.4
McCone	5	5	-	4	4	-	1	1	-	29.0
Madison	1	1	-	1	1	-	-	-	-	21.1
Meagher	-	-	-	-	-	-	-	-	-	20.7
Mineral	1	1	-	1	1	-	-	-	-	34.8
Missoula	22	21	1	16	15	1	6	6	-	18.9
Musselshell	1	1	-	1	1	-	-	-	-	23.1
Park	2	2	-	2	2	-	-	-	-	15.9
Petroleum	-	-	-	-	-	-	-	-	-	0.0
Phillips	2	2	-	2	2	-	-	-	-	22.8
Pondera	4	4	-	4	4	-	-	-	-	35.2
Powder River	-	-	-	-	-	-	-	-	-	10.3
Powell	2	2	-	1	1	-	1	1	-	25.7
Prairie	-	-	-	-	-	-	-	-	-	13.1
Ravalli	2	2	-	2	2	-	-	-	-	24.2
Richland	5	5	-	4	4	-	1	1	-	17.4
Roosevelt	11	5	6	5	3	2	6	2	4	44.5
Rosebud	2	-	2	1	-	1	1	-	1	46.0
Sanders	2	2	-	1	1	-	1	1	-	14.4
Sheridan	4	4	-	3	3	-	1	1	-	23.1
Silver Bow	24	24	-	16	16	-	8	8	-	27.5
Stillwater	-	-	-	-	-	-	-	-	-	17.3
Sweet Grass	-	-	-	-	-	-	-	-	-	17.4
Teton	2	2	-	2	2	-	-	-	-	23.0
Toole	3	3	-	2	2	-	1	1	-	28.8
Treasure	-	-	-	-	-	-	-	-	-	18.2
Valley	10	9	1	8	7	1	2	2	-	28.2
Wheatland	1	1	-	1	1	-	-	-	-	26.9
Wibaux	-	-	-	-	-	-	-	-	-	25.5
Yellowstone	28	26	2	20	20	-	8	6	2	22.0

*Number of deaths under one year of age per 1,000 live births.

(Exclusive of fetal deaths, By Place of residence)

SEVENTH REVISION International List Number	CAUSE OF DEATH	Total Under 1 Year			Under 28 Days			1-11 Months		
		Total	White	Other	Total	White	Other	Total	White	Other
	TOTAL, All Causes	290	254	36	204	186	18	86	68	18
	Prenatal and Natal Causes, Total	209	193	16	193	177	16	16	16	-
750-759	Congenital malformations	48	46	2	34	32	2	14	14	-
760-761	Injury at birth	20	17	3	20	17	3	-	-	-
762	Atelectasia	26	23	3	26	23	3	-	-	-
769	Neonatal disorders arising from maternal toxemia	2	2	-	2	2	-	-	-	-
770	Hemolytic disease of newborn (erythroblastosis)	6	6	-	6	6	-	-	-	-
771	Hemorrhagic disease of newborn	1	1	-	1	1	-	-	-	-
772-773	Other disease of early infancy (exclusive of infection)	40	37	3	38	35	3	2	2	-
774-776	Prematurity unqualified or with mention of subsidiary conditions	66	61	5	66	61	5	-	-	-
	Infections, Total	36	25	11	5	3	2	31	22	9
763	Pneumonia of newborn	3	3	-	3	3	-	-	-	-
(480-483)										
490-493)	Other pneumonia and influenza	25	18	7	-	-	-	25	18	7
571	Gastro-enteritis and colitis, age 28 days and over	3	1	2	-	-	-	3	1	2
766-768	Infection of newborn	1	-	1	1	-	1	-	-	-
057	Meningococcal infections	1	-	1	1	-	1	-	-	-
001-138										
excl. of above	Other infective and parasitic diseases not elsewhere classified	3	3	-	-	-	-	3	3	-
	Violent and Accidental Deaths, Total	14	12	2	1	1	-	13	11	2
810-835	Motor vehicle accidents	2	2	-	-	-	-	2	2	-
(800-802)										
840-845										
850-866										
890-920										
923-936										
980-985)	Other violent and accidental deaths	12	10	2	1	1	-	11	9	2
	All Other Causes, Total	31	24	7	5	5	-	26	19	7

Table 14

MARRIAGES, DIVORCES, AND ANNULMENTS
Montana Counties, 1967
(By county of occurrence)

County	Marriages	Divorces	Annulments
MONTANA, Total	5,563	2,146	215
Beaverhead	57	31	1
Big Horn	51	50	3
Blaine	50	12	-
Broadwater	31	21	1
Carbon	54	22	5
Carter	4	-	-
Cascade	718	261	20
Chouteau	59	27	4
Custer	95	24	2
Daniels	25	3	-
Dawson	82	11	-
Deer Lodge	100	26	7
Fallon	28	10	1
Fergus	74	36	4
Flathead	324	120	5
Gallatin	268	56	4
Garfield	12	-	-
Glacier	60	46	2
Golden Valley	8	2	1
Granite	14	4	-
Hill	132	41	1
Jefferson	27	21	3
Judith Basin	14	8	2
Lake	98	70	8
Lewis & Clark	284	132	18
Liberty	11	-	-
Lincoln	117	42	5
McCone	16	2	-
Madison	22	18	1
Meagher	11	6	2
Mineral	16	9	1
Missoula	544	239	34
Musselshell	26	22	1
Park	80	47	13
Petroleum	4	-	-
Phillips	38	13	-
Pondera	57	15	2
Powder River	15	1	-
Powell	46	9	1
Prairie	15	-	-
Ravalli	89	42	6
Richland	97	15	-
Roosevelt	105	49	3
Rosebud	39	22	-
Sanders	24	14	1
Sheridan	52	6	-
Silver Bow	337	149	22
Stillwater	46	15	1
Sweet Grass	30	6	-
Teton	38	9	2
Toole	95	23	2
Treasure	6	4	-
Valley	167	53	2
Wheatland	21	4	-
Wibaux	13	1	-
Yellowstone	717	277	24

MARRIAGE AND DIVORCE:
Montana, 1944-67

Year	MARRIAGES		DIVORCES AND ANNULMENTS	
	Number	Rate*	Number	Rate*
1944	6,433	11.2	1,745	3.1
1945	8,147	14.2	2,380	4.1
1946	12,974	22.4	3,212	5.6
1947	9,769	16.8	2,439	4.2
1948	7,131	12.2	2,090	3.6
1949	6,981	11.9	1,995	3.4
1950	7,235	12.2	1,951	3.3
1951	6,307	10.6	1,837	3.1
1952	6,410	10.6	1,989	3.3
1953	6,597	10.7	1,986	3.2
1954	6,575	10.5	1,966	3.2
1955	6,514	10.2	1,909	3.0
1956	6,770	10.3	1,985	3.0
1957	6,495	9.7	2,004	3.0
1958	6,142	9.2	2,023	3.0
1959	6,228	9.3	2,062	3.1
1960	5,883	8.7	2,003	3.0
1961	5,636	8.3	2,034	3.0
1962	5,051	7.1	1,932	2.7
1963	4,854	6.9	1,909	2.7
1964	4,556	6.5	1,981	2.8
1965	4,688	6.6	2,002	2.8
1966	4,914	7.0	2,087	3.0
1967	5,563	7.9	2,361	3.4

*Number per 1,000 estimated population.

Note: Rates for 1951-59 shown in this table differ from those previously published because of recalculation of estimated populations. See note on Table 1.

Table 16

MARRIAGES BY MONTH OF OCCURRENCE:
Montana, 1967

Month	MARRIAGES		Month	MARRIAGES	
	Number	Percent		Number	Percent
MONTANA, Total	5,563	100.0	June	774	13.9
January	253	4.5	July	568	10.2
February	234	4.2	August	662	11.9
March	306	5.5	September	652	11.7
April	317	5.7	October	401	7.2
May	296	5.3	November	456	8.2
			December	644	11.6

Table 17

MARRIAGES BY AGE AND PREVIOUS MARITAL STATUS OF BRIDE AND GROOM: Montana, 1967

AGE	BRIDE					GROOM				
	TOTAL	Previous Marital Status				TOTAL	Previous Marital Status			
		Singla	Widowed	Divorced	Not Stated		Singla	Widowed	Divorced	Not Stated
TOTAL	5,563	4,381	287	889	6	5,563	4,482	196	882	3
Under 15	5	5	-	-	-	-	-	-	-	-
15-19	2,181	2,149	1	29	2	757	756	-	1	-
20-24	2,194	1,952	18	221	3	2,804	2,692	6	106	-
25-29	412	200	17	215	-	928	727	10	189	2
30-34	177	40	19	117	1	308	147	8	153	-
35-39	141	14	22	105	-	186	72	9	105	-
40-44	116	10	37	69	-	167	34	14	119	-
45-49	105	5	36	64	-	122	26	17	78	1
50-54	66	3	41	22	-	95	10	31	54	-
55-59	57	-	29	28	-	67	4	26	37	-
60-64	27	1	17	9	-	46	4	25	17	-
65-69	28	-	24	4	-	30	4	16	10	-
70-74	12	-	12	-	-	22	2	14	6	-
75 and over	9	-	7	2	-	22	1	17	4	-
Not Stated	13	2	7	4	-	9	3	3	3	-

Table 18

FIRST MARRIAGES* BY AGE OF BRIDE BY AGE OF GROOM: Montana, 1967

AGE OF GROOM	AGE OF BRIDE										
	TOTAL, All Ages	Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55 and over
TOTAL, All Ages	4,072	5	2,060	1,810	149	30	7	5	3	1	-
Under 15	-	-	-	-	-	-	-	-	-	-	-
15-19	745	4	660	80	1	-	-	-	-	-	-
20-24	2,564	1	1,228	1,296	38	1	-	-	-	-	-
25-29	608	-	147	379	71	10	1	-	-	-	-
30-34	104	-	20	45	26	10	3	-	-	-	-
35-39	29	-	1	7	11	6	3	1	-	-	-
40-44	8	-	3	2	-	2	-	1	-	-	-
45-49	6	-	1	1	1	1	-	1	1	-	-
50-54	2	-	-	-	-	-	-	2	-	-	-
55 and over	5	-	-	-	1	-	-	-	2	1	-
Not Stated	1	-	-	-	-	-	-	-	-	-	1

*First marriage for both bride and groom.

Table 19

DIVORCES AND ANNULMENTS BY LEGAL GROUNDS FOR DECREE: Montana, 1967

Type of Dissolution and Legal Grounds	Number
DIVORCES, Total	2,146
Insanity	3
Adultery	5
Extreme cruelty	2,015
Desertion	106
Neglect	8
Intemperance	2
Conviction of felony	7
ANNULMENTS, Total	215
Under age	2
Former marriage in effect	11
Fraud	180
Physical Incapability	6
Remarriage within 6 months after divorce	16

Table 20

MARITAL DISSOLUTIONS (1) BY AGE OF HUSBAND AND BY AGE OF WIFE: Montana, 1967

AGE OF HUSBAND	AGE OF WIFE											Age Not Stated
	TOTAL, All Ages	Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55 and over	
TOTAL, All Ages	2,361	1	177	624	429	284	250	213	143	95	120	25
Under 15	-	-	-	-	-	-	-	-	-	-	-	-
15-19	37	1	25	11	-	-	-	-	-	-	-	-
20-24	428	-	125	279	19	2	-	-	1	-	1	1
25-29	459	-	23	233	179	17	4	-	1	-	-	2
30-34	351	-	3	58	149	103	30	7	-	1	-	-
35-39	296	-	-	27	52	102	74	30	7	3	-	1
40-44	231	-	1	6	18	41	80	69	11	3	1	1
45-49	208	-	-	4	8	12	39	63	53	16	13	-
50-54	140	-	-	1	-	5	13	29	47	27	17	1
55 and over	185	-	-	2	3	2	8	15	22	45	86	2
Not stated	26	-	-	3	1	-	2	-	1	-	2	17

(1) Includes both divorces and annulments.

Table 21

MARITAL DISSOLUTIONS (1) BY NUMBER OF CHILDREN (2), BY AGE OF MOTHER: Montana, 1967

AGE OF MOTHER	NUMBER OF CHILDREN											
	TOTAL	None	1	2	3	4	5	6	7	8	9 or more	Not Stated
TOTAL, All Ages	2,361	914	518	424	245	138	51	34	7	5	7	18
Under 15	1	1	-	-	-	-	-	-	-	-	-	-
15-19	177	90	74	13	-	-	-	-	-	-	-	-
20-24	624	210	211	147	35	12	3	-	-	-	-	6
25-29	429	92	67	115	95	37	8	8	1	1	-	5
30-34	284	67	39	49	47	50	16	10	1	2	3	-
35-39	250	79	35	44	36	25	14	10	3	1	3	-
40-44	213	89	36	41	18	9	10	5	2	-	-	3
45-49	143	88	31	8	9	4	-	1	-	1	-	1
50-54	95	77	10	4	1	1	-	-	-	-	1	1
55-59	70	58	10	-	-	-	-	-	-	-	-	2
60-64	21	20	1	-	-	-	-	-	-	-	-	-
65-69	21	20	1	-	-	-	-	-	-	-	-	-
70-74	5	5	-	-	-	-	-	-	-	-	-	-
75 and over	3	3	-	-	-	-	-	-	-	-	-	-
Age not stated	25	15	3	3	4	-	-	-	-	-	-	-

(1) Includes both divorces and annulments.

(2) Number of children under 18 years of age.

Table 22

MARRIAGES BY RACE OF BRIDE AND GROOM: Montana, 1967

GROOM	B R I D E							
	TOTAL	White	Negro	Indian	Chinese	Japanese	Hawaiian	Other
TOTAL	5,563	5,387	16	152	2	2	1	3
White	5,384	5,338	-	39	2	2	1	2
Negro	26	8	16	2	-	-	-	-
Indian	147	36	-	111	-	-	-	-
Chinese	1	1	-	-	-	-	-	-
Japanese	2	2	-	-	-	-	-	-
Hawaiian	1	1	-	-	-	-	-	-
Other nonwhite	2	1	-	-	-	-	-	1

Year	DIPHTHERIA		INFLUENZA		MEASLES		MENINGOCOCCAL INFECTION		POLIOMYELITIS	
	Number	Rate*	Number	Rate*	Number	Rate*	Number	Rate*	Number	Rate*
1910	61	16.2	24	6.4	16	4.3	1	0.3	17	4.5
1911	30	7.6	15	3.8	49	12.4	3	0.8	5	1.3
1912	13	3.1	17	4.1	6	1.4	0	0.0	11	2.7
1913	23	5.3	30	6.9	54	12.5	15	3.5	8	1.9
1914	36	9.0	22	4.9	27	6.0	10	2.2	4	0.9
1915	21	4.5	41	8.8	7	1.5	7	1.5	1	0.2
1916	38	7.8	58	11.9	36	7.4	20	4.1	24	4.9
1917	40	7.9	43	8.5	46	9.1	6	1.2	8	1.6
1918	45	8.6	2,654	508.5	18	3.4	16	3.1	7	1.3
1919	41	7.6	687	127.2	16	3.0	15	2.8	3	0.6
1920	32	5.8	304	55.4	27	4.9	15	2.7	5	0.9
1921	47	8.6	49	9.0	35	6.4	7	1.3	2	0.4
1922	61	11.2	239	43.8	0	0.0	8	1.5	7	1.3
1923	51	9.4	158	29.0	19	3.5	7	1.3	6	1.1
1924	56	10.3	64	11.8	73	13.4	5	0.9	23	4.2
1925	34	6.3	109	20.1	5	0.9	5	0.9	6	1.1
1926	18	3.3	241	44.5	21	3.9	20	3.7	5	0.9
1927	20	3.7	147	27.2	30	5.5	66	12.2	4	0.7
1928	20	3.7	366	67.8	8	1.5	65	12.0	10	1.9
1929	12	2.2	212	39.4	46	8.5	60	11.1	0	0.0
1930	4	0.7	102	19.0	12	2.2	22	4.1	6	1.1
1931	7	1.3	152	28.1	3	0.6	13	2.4	15	2.8
1932	2	0.4	190	35.0	12	2.2	5	0.9	4	0.7
1933	17	3.1	173	31.8	15	2.8	3	0.6	2	0.4
1934	10	1.8	122	22.3	30	5.5	7	1.3	14	2.6
1935	14	2.5	173	31.5	49	8.9	15	2.7	1	0.2
1936	10	1.8	101	18.3	3	0.5	23	4.2	5	0.9
1937	10	1.8	244	44.1	2	0.4	7	1.3	6	1.1
1938	9	1.6	81	14.6	12	2.2	9	1.6	3	0.5
1939	3	0.5	99	17.7	16	2.9	4	0.7	1	0.2
1940	6	1.1	77	13.8	5	0.9	6	1.1	7	1.3
1941	13	2.5	90	17.0	1	0.2	5	0.9	9	1.7
1942	5	1.0	26	5.2	0	0.0	7	1.4	0	0.0
1943	5	1.1	58	12.7	6	1.3	5	1.1	10	2.1
1944	6	1.2	50	10.3	13	2.7	3	0.6	6	1.2
1945	4	0.8	47	9.3	1	0.2	3	0.6	10	2.0
1946	5	1.0	25	4.8	3	0.6	3	0.6	5	1.0
1947	2	0.4	33	6.1	13	2.4	3	0.6	4	0.7
1948	3	0.5	13	2.3	12	2.2	1	0.2	6	1.1
1949	3	0.5	13	2.3	3	0.5	3	0.5	13	2.3
1950	2	0.3	23	3.9	0	0.0	1	0.2	3	0.5
1951	0	0.0	30	5.0	9	1.5	5	0.8	6	1.0
1952	1	0.2	22	3.7	4	0.7	4	0.7	8	1.3
1953	3	0.5	59	9.6	4	0.6	2	0.3	14	2.3
1954	3	0.5	6	1.0	5	0.8	6	1.0	9	1.4
1955	1	0.2	12	1.9	4	0.6	5	0.8	8	1.3
1956	1	0.2	4	0.6	1	0.2	7	1.1	0	0.0
1957	1	0.1	25	3.7	3	0.4	3	0.4	2	0.3
1958	0	0.0	14	2.1	2	0.3	4	0.6	5	0.8
1959	0	0.0	15	2.2	5	0.7	3	0.4	2	0.3
1960	0	0.0	37	5.5	1	0.1	3	0.4	7	1.0
1961	0	0.0	8	1.2	1	0.1	1	0.1	1	0.1
1962	0	0.0	12	1.7	0	0.0	4	0.6	0	0.0
1963	0	0.0	31	4.4	0	0.0	3	0.4	0	0.0
1964	0	0.0	29	4.1	2	0.3	2	0.3	0	0.0
1965	0	0.0	5	0.7	0	0.0	3	0.4	0	0.0
1966	0	0.0	40	7.0	0	0.0	2	0.3	0	0.0
1967	0	0.0	3	0.4	0	0.0	1	0.3	0	0.0

*Deaths per 100,000 estimated mid-year population.

Note: Rates for 1951-59 shown in this table may differ from those previously published because of recalculation of estimated populations. See note on Table 1.

Data for 1910-45 are by place of occurrence. Data for 1946-67 are by place of residence.

Table 23, Continued

COMMUNICABLE DISEASE HISTORICAL MORTALITY STATISTICS:
Montana, 1910-1967, Continued

Year	SCARLET FEVER		SMALLPOX		TUBERCULOSIS		TYPHOID FEVER		WHOOPIING COUGH	
	Number	Rate*	Number	Rate*	Number	Rate*	Number	Rate*	Number	Rate*
1910	61	16.2	2	0.5	340	90.4	151	40.2	41	10.9
1911	37	9.3	0	0.0	420	106.0	80	20.2	27	6.8
1912	26	6.3	2	0.5	468	113.0	57	13.8	56	13.5
1913	119	27.5	3	0.7	456	105.5	95	22.0	46	10.6
1914	33	7.3	5	1.1	472	104.9	66	14.7	18	4.0
1915	16	3.4	1	0.2	530	113.2	57	12.2	36	7.7
1916	19	3.9	2	0.4	521	107.2	53	10.9	79	16.3
1917	85	16.9	6	1.2	549	108.9	79	15.7	43	8.5
1918	71	13.6	6	1.1	504	96.6	53	10.7	64	12.3
1919	57	10.6	9	1.7	480	88.9	39	7.2	13	2.4
1920	22	4.0	2	0.4	419	76.4	27	4.9	51	9.3
1921	10	1.8	3	0.5	356	65.1	20	3.7	69	12.6
1922	19	3.5	2	0.4	383	70.1	21	3.8	8	1.5
1923	17	3.1	3	0.6	395	72.5	16	2.9	23	4.2
1924	32	5.9	3	0.6	434	79.8	16	2.9	26	4.8
1925	21	3.9	0	0.0	396	73.0	24	4.4	63	11.6
1926	25	4.6	1	0.2	377	69.6	14	2.6	45	8.3
1927	32	5.9	1	0.2	373	69.0	15	2.8	15	2.8
1928	10	1.9	4	0.7	357	66.2	16	3.0	49	9.1
1929	16	3.0	1	0.2	357	66.3	32	5.9	21	3.9
1930	15	2.8	1	0.2	337	62.7	16	3.0	16	3.0
1931	11	2.0	0	0.0	329	60.9	12	2.2	46	8.5
1932	7	1.3	0	0.0	307	56.6	13	2.4	22	4.1
1933	12	2.2	0	0.0	282	51.8	14	2.6	15	2.8
1934	11	2.0	0	0.0	265	48.5	17	3.1	24	4.4
1935	22	4.0	1	0.2	257	46.8	12	2.2	22	4.0
1936	44	8.0	3	0.5	221	40.1	8	1.5	16	2.9
1937	12	2.2	2	0.4	241	43.5	11	2.0	14	2.5
1938	9	1.6	1	0.2	241	43.4	5	0.9	47	8.5
1939	8	1.4	0	0.0	248	44.5	1	0.2	16	2.9
1940	7	1.3	0	0.0	231	41.3	3	0.5	5	0.9
1941	9	1.7	0	0.0	214	40.4	2	0.4	6	1.1
1942	3	0.6	0	0.0	201	40.2	1	0.2	12	2.4
1943	3	0.6	0	0.0	206	43.8	4	0.9	18	3.8
1944	2	0.4	0	0.0	175	35.9	1	0.2	10	2.1
1945	1	0.2	0	0.0	171	33.9	2	0.4	2	0.4
1946	0	0.0	0	0.0	164	31.4	2	0.4	2	0.4
1947	0	0.0	0	0.0	152	28.2	1	0.2	6	1.1
1948	0	0.0	0	0.0	146	26.2	0	0.0	6	1.1
1949	4	0.7	0	0.0	109	19.0	1	0.2	2	0.3
1950	0	0.0	0	0.0	114	19.3	0	0.0	10	1.7
1951	0	0.0	0	0.0	85	14.3	1	0.2	1	0.2
1952	0	0.0	0	0.0	79	13.1	1	0.2	1	0.2
1953	1	0.2	0	0.0	77	12.5	0	0.0	4	0.6
1954	0	0.0	0	0.0	62	9.9	0	0.0	1	0.2
1955	0	0.0	0	0.0	50	7.9	0	0.0	1	0.2
1956	0	0.0	0	0.0	48	7.3	0	0.0	1	0.2
1957	0	0.0	0	0.0	68	10.2	0	0.0	2	0.3
1958	0	0.0	0	0.0	45	6.8	0	0.0	0	0.0
1959	0	0.0	0	0.0	37	5.5	0	0.0	0	0.0
1960	0	0.0	0	0.0	31	4.6	0	0.0	1	0.1
1961	0	0.0	0	0.0	24	3.5	1	0.1	0	0.0
1962	0	0.0	0	0.0	32	4.5	0	0.0	0	0.0
1963	0	0.0	0	0.0	27	3.8	0	0.0	0	0.0
1964	0	0.0	0	0.0	28	4.0	1	0.1	0	0.0
1965	0	0.0	0	0.0	22	3.1	0	0.0	0	0.0
1966	0	0.0	0	0.0	21	3.0	0	0.0	0	0.0
1967	0	0.0	0	0.0	17	2.4	0	0.0	0	0.0

*Deaths per 100,000 estimated midyear population.

Note: Rates for 1951-59 shown in this table may differ from those previously published because of recalculation of estimated populations. See note on Table 1.

Data for 1910-45 are by place of occurrence. Data for 1946-67 are by place of residence.

Year	ACCIDENTS						ALCOHOL		CANCER	
	Total		Motor Vehicle		Other		Number	Rate*	Number	Rate*
	Number	Rate*	Number	Rate*	Number	Rate*				
1910	514	116.7	5	1.3	509	115.4	56	14.9	157	41.7
1911	447	112.8	3	0.8	444	112.1	40	10.1	157	39.6
1912	475	114.7	3	0.7	472	114.0	63	15.2	164	39.6
1913	564	130.5	15	3.5	549	127.0	74	17.1	207	47.9
1914	498	110.6	26	5.8	472	104.9	66	14.7	223	49.5
1915	556	118.8	31	6.6	525	112.2	66	14.1	223	47.6
1916	695	143.0	42	8.6	653	134.4	86	17.7	247	50.8
1917	870	172.6	59	11.7	811	160.9	124	24.6	278	55.2
1918	625	119.7	64	12.3	561	107.5	60	11.5	279	53.5
1919	509	94.3	44	8.1	465	86.1	10	1.9	302	55.9
1920	473	86.3	45	8.2	428	78.1	10	1.8	282	51.4
1921	388	70.9	48	8.8	340	62.1	19	3.5	315	57.6
1922	413	79.3	48	8.8	365	70.5	22	4.0	343	62.8
1923	470	86.2	49	9.0	421	77.2	25	4.6	333	61.1
1924	519	95.4	70	12.9	449	82.5	15	2.8	363	66.7
1925	505	93.0	98	18.1	407	75.0	41	7.6	379	69.8
1926	477	88.0	101	18.6	376	69.4	27	5.0	401	74.0
1927	506	93.6	77	14.2	429	79.4	58	10.7	414	76.6
1928	568	105.3	139	25.8	429	79.5	48	8.9	449	83.2
1929	526	97.7	126	23.4	400	74.3	60	11.1	467	86.7
1930	498	92.6	106	19.7	392	72.9	69	12.8	424	78.9
1931	510	94.4	127	23.5	383	70.9	33	6.1	420	77.7
1932	442	81.5	98	18.1	344	63.4	15	2.8	513	94.6
1933	508	93.3	119	21.8	389	71.4	24	4.4	508	93.3
1934	576	105.3	209	28.2	367	67.1	20	3.7	477	87.2
1935	552	100.5	161	29.3	391	71.2	14	2.5	528	96.2
1936	660	119.7	174	31.6	486	88.2	25	4.5	567	102.9
1937	599	108.2	177	32.0	422	76.2	32	5.8	566	102.3
1938	587	105.6	143	25.7	444	79.9	27	4.9	557	100.2
1939	531	95.2	149	26.7	382	68.5	23	4.1	643	115.3
1940	539	96.3	154	27.5	385	68.8	41	7.3	640	114.4
1941	548	103.4	182	34.3	366	69.1	19	3.6	644	121.5
1942	468	93.6	105	21.0	363	72.6	16	3.2	643	128.6
1943	580	123.4	87	18.5	493	104.9	12	2.6	613	130.4
1944	494	101.4	106	21.8	388	79.6	7	1.4	681	139.7
1945	498	98.7	118	23.4	380	75.3	13	2.6	658	130.4
1946	517	99.1	166	31.8	351	67.3	15	2.9	662	126.8
1947	537	99.6	157	29.1	380	70.5	19	3.5	712	137.0
1948	575	103.3	165	29.6	410	73.7	14	2.5	724	130.1
1949	552	96.2	152	26.5	400	69.7	17	3.0	729	127.0
1950	545	92.2	190	32.1	355	60.1	14	2.4	733	121.0
1951	525	88.1	187	31.4	338	56.7	17	2.9	726	121.8
1952	564	93.7	235	39.0	329	54.7	13	2.2	798	132.6
1953	534	86.7	228	37.0	306	49.7	17	2.8	809	131.3
1954	531	85.1	219	35.1	312	50.0	19	3.0	871	139.6
1955	549	86.3	239	37.6	310	48.7	28	4.4	829	130.3
1956	574	87.5	265	40.4	309	47.1	22	3.4	931	141.9
1957	541	81.1	219	32.8	322	48.3	20	3.0	873	130.9
1958	497	74.6	206	30.9	291	43.7	18	2.7	838	125.8
1959	565	84.4	258	38.6	307	45.9	15	2.2	920	137.5
1960	510	75.6	226	33.5	284	42.1	13	1.9	958	142.0
1961	518	76.0	270	39.6	248	36.4	18	2.6	965	141.5
1962	550	77.6	217	32.7	333	44.9	19	2.7	911	128.5
1963	517	73.1	218	30.9	299	42.3	12	1.7	896	126.7
1964	659	91.9	250	35.5	398	56.5	13	1.8	986	139.9
1965	591	83.7	268	38.0	323	45.8	14	2.0	933	132.2
1966	560	79.8	265	37.7	295	42.0	24	3.4	969	138.0
1967	607	86.6	318	45.4	289	41.2	12	1.7	1,004	143.2

*Deaths per 100,000 estimated midyear population.

Notes: Rates for 1951-59 shown in this table may differ from those previously published because of recalculation of estimated populations. See note on Table 1.

Data for 1910-45 are by place of occurrence. Data for 1946-67 are by place of residence.

Table 24, Continued

SELECTED CAUSE-SPECIFIC DEATH RATES:
Montana, 1910-1967, Continued

Year	DIABETES		HEART DISEASE		HOMICIDE		NEPHRITIS		PNEUMONIA		SUICIDE	
	Number	Rate*	Number	Rate*	Number	Rate*	Number	Rate*	Number	Rate*	Number	Rate*
1910	38	10.1	257	68.3	37	9.8	222	59.0	282	75.0	81	21.5
1911	41	10.3	317	80.0	51	12.9	204	51.5	354	89.3	109	27.5
1912	30	7.2	305	73.6	59	14.2	246	59.4	387	93.4	83	20.0
1913	44	10.2	381	88.2	44	10.2	247	57.2	508	117.6	115	26.6
1914	52	11.6	387	86.0	58	12.9	249	55.3	464	103.1	125	27.8
1915	65	13.9	407	87.0	53	11.3	339	72.4	511	109.2	103	22.0
1916	74	15.2	469	96.5	86	17.7	359	73.9	536	110.3	113	23.2
1917	65	12.9	477	94.6	92	18.3	358	71.0	690	136.9	113	22.4
1918	79	14.9	476	91.2	58	11.1	322	61.7	1,298	243.7	97	18.6
1919	54	10.0	448	83.0	43	8.0	265	49.1	530	98.2	86	15.9
1920	60	10.9	428	78.1	46	8.4	273	49.8	576	105.0	86	15.7
1921	57	10.4	523	95.6	41	7.5	279	51.0	412	75.3	94	17.2
1922	71	13.0	595	108.9	42	7.7	298	54.6	482	88.3	88	16.1
1923	58	10.6	575	105.5	26	4.8	267	49.0	399	73.2	77	14.1
1924	52	9.6	645	118.6	37	6.8	295	54.2	364	66.9	79	14.5
1925	64	11.8	672	123.8	51	9.4	301	55.4	437	80.5	102	18.8
1926	76	14.0	695	128.3	45	8.3	236	43.6	501	92.5	92	17.0
1927	71	13.1	815	150.7	37	6.8	325	60.1	372	68.8	113	20.9
1928	97	18.0	864	160.1	44	8.2	333	61.7	458	84.9	110	20.4
1929	82	15.2	809	150.3	54	10.0	395	73.4	439	81.5	116	21.5
1930	87	16.2	759	141.2	57	10.6	395	73.5	425	79.1	136	25.3
1931	83	15.4	915	169.3	39	7.2	336	62.2	384	71.1	126	23.3
1932	87	16.0	1,065	196.3	45	8.3	348	64.1	348	64.1	125	23.0
1933	91	16.7	1,087	199.6	30	5.5	315	57.8	321	58.9	114	20.9
1934	119	21.8	1,117	204.2	39	7.1	350	64.0	416	76.1	104	19.0
1935	112	20.4	1,299	236.6	34	6.2	355	64.7	674	122.8	96	17.5
1936	125	22.7	1,248	226.4	26	4.7	347	62.9	631	114.5	102	18.5
1937	118	21.3	1,395	252.1	27	4.9	305	55.1	528	95.4	101	18.2
1938	118	21.2	1,308	235.4	26	4.7	314	56.5	355	63.9	103	18.5
1939	112	20.1	1,486	266.4	27	4.8	327	58.6	310	55.6	106	19.0
1940	109	19.5	1,447	258.6	29	5.2	295	52.7	321	57.4	120	21.4
1941	110	20.8	1,485	280.2	18	3.4	272	51.3	262	49.4	93	17.5
1942	108	21.6	1,577	315.4	17	3.4	284	56.8	235	47.0	98	19.6
1943	116	24.7	1,564	332.7	15	3.2	271	57.7	248	52.8	68	14.5
1944	126	25.9	1,660	340.7	13	2.7	292	59.9	250	51.3	53	10.9
1945	129	25.6	1,603	317.7	19	3.8	279	55.3	196	38.8	79	15.7
1946	137	26.3	1,629	312.1	22	4.2	276	52.9	235	45.0	98	18.8
1947	130	24.1	1,690	313.4	14	2.6	266	49.3	223	41.4	96	17.8
1948	118	21.2	1,803	324.0	15	2.7	247	44.4	189	34.0	88	15.8
1949	102	17.8	2,002	348.9	21	3.7	129	22.5	144	25.1	89	15.5
1950	49	8.3	1,957	331.1	24	4.1	80	13.5	157	26.6	123	20.8
1951	58	9.7	2,159	362.2	15	2.5	85	14.3	121	20.3	85	14.3
1952	83	13.8	2,032	337.5	17	2.8	120	19.9	147	24.4	84	14.0
1953	73	11.9	2,164	351.3	23	3.7	77	12.5	180	29.2	106	17.2
1954	95	15.2	2,128	341.0	29	4.6	90	14.4	179	28.7	104	16.7
1955	108	17.0	2,116	332.7	21	3.3	94	14.8	155	24.4	79	12.4
1956	98	14.9	2,165	330.0	32	4.9	83	12.7	211	32.2	98	14.9
1957	118	17.7	2,290	343.3	23	3.4	71	10.6	249	37.3	105	15.7
1958	109	16.4	2,244	336.9	17	2.6	53	8.0	260	39.0	101	15.2
1959	123	18.4	2,382	356.0	29	4.3	58	8.7	231	34.5	97	14.5
1960	102	15.1	2,332	345.6	25	3.7	51	7.6	227	33.6	107	15.9
1961	117	17.2	2,269	332.7	21	3.1	41	6.0	219	32.1	96	14.1
1962	121	17.1	2,204	310.9	21	3.0	63	8.9	195	27.5	110	15.5
1963	125	17.7	2,340	331.0	22	3.1	42	5.9	218	30.8	115	16.3
1964	139	19.7	2,368	335.9	30	4.3	45	6.4	226	32.1	80	11.3
1965	114	16.1	2,297	325.4	20	2.8	35	5.0	198	28.0	94	13.3
1966	106	15.1	2,415	344.0	23	3.3	42	6.0	230	32.8	96	13.7
1967	143	20.4	2,297	327.7	31	4.4	38	5.4	196	28.0	100	14.3

*Deaths per 100,000 estimated midyear population.

Note: Rates for 1951-59 shown in this table may differ from those previously published because of recalculation of estimated populations. See note on Table 1.

Data for 1910-45 are by place of occurrence. Data for 1946-67 are by place of residence.

Table 25

POPULATIONS
Montana Counties, 1960 and 1967

County	1960 Census Enumeration	1967 Estimated Population	County	1960 Census Enumeration	1967 Estimated Population
Montana, Total	674,720*	701,000	Lincoln	12,537	13,900
Beaverhead	7,194	7,600	McCone	3,321	3,400
Big Horn	10,007	10,600	Madison	5,211	5,500
Blaine	8,091	7,600	Meagher	2,616	2,600
			Mineral	3,037	3,400
Broadwater	2,804	2,800	Missoula	44,663	52,900
Carbon	8,317	7,300	Musselshell	4,888	4,800
Carter	2,493	2,700	Park	13,168	11,600
Cascade	73,418	79,600	Petroleum	894	800
Chouteau	7,348	7,100	Phillips	6,027	5,600
Custer	13,227	14,100	Pondera	7,653	7,100
Daniels	3,755	3,700	Powder River	2,485	2,600
Dawson	12,314	12,500	Powell	7,002	7,100
Deer Lodge	18,640	18,800	Prairie	2,318	2,300
Fallon	3,997	4,300	Ravalli	12,341	13,100
Fergus	14,018	13,100	Richland	10,504	10,600
Flathead	32,965	35,400	Roosevelt	11,731	11,700
Gallatin	26,045	26,800	Rosebud	6,187	6,500
Garfield	1,981	2,100	Sanders	6,830	7,600
Glacier	11,565	10,800	Sheridan	6,458	6,400
Golden Valley	1,203	1,200	Silver Bow	46,454	48,100
Granite	3,014	3,200	Stillwater	5,526	4,800
Hill	18,653	18,100	Sweet Grass	3,290	2,900
Jefferson	4,297	4,200	Teton	7,295	6,800
Judith Basin	3,085	3,000	Toole	7,904	7,400
Lake	13,104	14,500	Treasure	1,345	1,400
Lewis & Clark	28,006	31,400	Valley	17,080	19,500
Liberty	2,624	2,600	Wheatland	3,026	3,000
			Wibaux	1,698	1,700
			Yellowstone	79,016	80,800

Note: County populations are estimated to the nearest 100; the State population, to the nearest 1,000.

*This does not include 47 persons enumerated in Yellowstone National Park.

Table 26

REPORTED CASES OF REPORTABLE DISEASES
Montana Counties, 1967
(By place of residence)

County	Amelasia	Septic Meningitis	Brucellosis	Diphtheria	Encephalitis, Infectious		Hepatitis, Infectious and Serum	Measles	Headneococcal Infections	Pertussis (Whooping Cough)	Poliovirus			Rabies		Rocky Mountain Spotted Fever	Salmonellosis		Shigellosis	Streptococcal Sore Throat Including Scarlet Fever	Tetanus	Trichinosis	Tuberculosis	Typhemia	Typhus Fever	Typhus Endemic
					Primary	Post-Infectious					Paralytic	Nonparalytic	Unspecified	In Man	In Animals		Typhoid Fever	Other								
Beaverhead							1	-	-	16								1	8	-			3	1	-	-
Big Horn							1	33	-									1	5	64			13	1	-	-
Blaine							1	10	-									2	11	11			1	1	-	-
Broadwater							-	-	-										-	-			-	-	-	-
Carbon							-	1	1										-	6			-	-	-	-
Carter																			-				-	-	-	-
Cascade							47	76	-								1	1	-	67			9	-	-	-
Chouteau																			40	40			-	-	-	-
Custer																			-	115			2	-	-	-
Daniels								1	-										-	-			-	-	-	-
Dawson							2	18	-										-	1			-	-	-	-
Deer Lodge																			-	-			-	-	-	-
Fallon								1	-										-	-			3	-	-	-
Fergus							1		-										-	-			1	-	-	-
Flathead						1	9	4	1	7									-	88			4	-	-	-
Gallatin						2	8	72	-									7	1	498			-	1	-	-
Garfield								23	-									-	-	46			-	-	-	-
Glacier						1	4	3	-									-	11	28			10	-	-	-
Golden Valley									-										-	-			-	-	-	-
Granite									-										-	-			-	-	-	-
Hill							22	40	1	1								3	10	16			4	-	-	-
Jefferson									-										-	133			-	-	-	-
Judith Basin								7	-										-	-			-	-	-	-
Lake							17		1									1	-	-			-	-	-	-
Lewis & Clark						1	4	13	1									7	3	87			1	4	-	-
Liberty							1	2	-										-	68			-	-	-	-
Lincoln							4	45	-										-	3			1	-	-	-
McCone									-										-	-			-	-	-	-
Madison							1	-	-									1	-	-			-	-	-	-
Meagher									-										-	-			-	-	-	-

Table 26, Continued

REPORTED CASES OF REPORTABLE DISEASES
Montana Counties, 1967
(By place of residence)

County	Amebiasis	Asplenic Hemangitis	Brucellosis	Diphtheria	Encephalitis, Infections		Hepatitis, Infectious and Serum	Measles	Meningococcal Infections	Pertussis (Whooping Cough)	Poliovirulitis			Rabies		Rheumatic Fever	Rocky Mountain Spotted Fever	Salmonellosis		Shigellosis	Streptococcal Sore Throat Including Scarlet Fever	Tetanus	Trichinosis	Tuberculosis	Typhus Fever
					Primary	Post-Infectious					Paralytic	Nonparalytic	Unspecified	In Man	In Animals			Typhoid Fever	Other						
Mineral	-	-	-	-	-	-	10	-	-	36	-	-	-	-	2	-	-	-	-	-	579	-	-	-	-
Miasoula	-	-	-	-	-	-	7	6	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Musselshell Park	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Petroleum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phillips	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Pondera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Powder River	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Powell	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Prairie	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ravalli	-	-	-	-	-	-	1	9	-	5	-	-	-	-	-	-	-	-	-	-	109	-	-	-	-
Richland	-	-	-	-	-	-	20	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-
Roosevelt	-	-	-	-	-	-	2	65	-	-	-	-	-	-	1	-	-	-	-	87	28	-	-	-	-
Rosebud	-	-	-	-	2	-	3	18	1	21	-	-	-	-	1	-	-	-	1	13	88	-	-	-	-
Sanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Sheridan	-	-	-	-	-	-	-	20	-	-	-	-	-	3	-	-	-	-	1	-	-	-	-	-	-
Silver Bow	-	-	-	-	-	-	5	29	1	111	-	-	-	-	3	-	-	-	1	2	122	-	-	-	-
Stillwater	-	-	-	-	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-	-	37	-	-	-	-
Sweet Grass	-	-	-	-	-	-	2	6	-	-	-	-	-	-	-	-	-	-	-	-	12	-	-	-	-
Teton	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	70	-	-	-	-
Toole	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Treasure	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Valley	-	-	-	-	-	-	2	9	-	2	-	-	-	-	-	-	-	-	-	-	497	-	-	-	-
Wheatland	-	-	-	-	-	-	-	15	-	-	-	-	-	-	-	-	-	-	-	-	73	-	-	-	-
Wibaux	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Yellowstone	-	-	-	-	-	-	9	9	-	-	-	-	-	-	2	3	1	-	24	12	6	-	-	-	-
Montana, Total	-	-	1	2	-	5	185	540	8	199	-	-	-	-	10	20	2	61	152	2897	-	1	109	2	-



1

2



3

4

